



SITE SAFETY

APPLICATION

Workplaces under the heading 'Site Safety' are bound by legislative requirements in the disciplines of traffic management, management of hazardous/flammable storage, fire protection, onsite electricity, gas/flammable fuels and water, machinery safety, height safety and environmental protection. This section has the necessary product range that will assist with the 'safe place of work' and 'safe system of work' obligations of statute law.

RISK ASSESSMENT

The Safe Work Australia Code of Practice 'Managing the Work Environment & Facilities' provides guidelines that address typical issues relating to Site Safety.

Signage

Safety signage is an essential element in any workplace. Signs are identified in categories - Mandatory, Prohibition, Danger, Warning, Emergency, Fire and general site safety signage. The Australian Standard AS 1319 sets out the requirements for the design and use of safety signs.

Traffic & Pedestrian Control

The movement of traffic in and around workplaces including road works warrants particular care due to the high risks involved. The Australian Standard AS 1743:2018 'Road Signs Specifications' provides details of layout, graphics, size and material requirements.

Spill Control & Flammable Storage

Workplaces must be prepared for the management & storage control of hazardous materials with the capacity to reduce the chance of a spill spreading or a fire being caused and/or becoming worse. AS 1940:2017 sets out the requirements and recommendations for the safe storage and handling of flammable liquids.

Lockout/Tagout

A Lockout/Tagout programme includes the use of specific devices and tags to prevent accidental activation of equipment during maintenance, installation or inspection. Each confined space entry should have its own set of written lockout procedures and be appropriately supervised.

Ladders & Platforms

Falling from ladders is the cause of at least half of all falls from height injuries. Do not use ladders in the workplace before first seeking education and advice then ensuring that all ladder users are educated and authorised. AS 1892 sets out the design requirements for portable ladders and sets out the minimum requirements for selection, safe use and care.

Emergency Eye Wash & Shower Equipment

When workers' bodies have the potential to be exposed to materials or chemicals which may cause injuries, access to

appropriate eyewash and shower equipment for emergency treatment should be available. AS 4775-2007 specifies minimum performance and use requirements for eyewash and shower equipment for the emergency treatment.



USEFUL REFERENCES

Safe Work Australia Code of Practice 'Managing the Work Environment & Facilities'.

AS 1319:1994 Safety Signs For The Occupational Environment.

AS 1743:2018 Road Sign Specifications.

AS 1940:2017 The Storage And Handling Of Flammable Combustible Liquids.

AS 1892.5:2020 Portable Ladders - Selection, Safe Use and Care.

AS 4775-2007 Emergency Eye Wash And Shower Equipment.

WORKPLACE SIGNAGE	112
ROAD SAFETY SIGNAGE	118
BOLLARDS, CONES & BARRIERS	119
LIGHTING & VEHICLE SAFETY	122
MIRRORS	125
SPILL CONTROL	126
FLAMMABLE/CYLINDER STORAGE	129
ELECTRICAL	133
FIRE EXTINGUISHERS	134
EYE/FACE WASH & SHOWERS	136
LOCKOUT/TAGOUT	138
LADDERS/PLATFORMS	140
TAPES & FLOOR MARKING	142
MATTING	143

BRADY

Mandatory Signs 450mm x 600mm

- 0.6mm Colorbond™ steel or 1.4mm polypropylene
- Suitable for outdoor conditions
- Compliant to AS 1319:1994
- Other sizes available

SSP835014
SSM838192



SSP835004
SSM832114



SSP835010
SSM832119



SSP835016
SSM834751



SSP835039



SSP835020
SSM832142



SSP835022
SSM832145



SSP869726
SSM832435



SSP835037
SSM832129



SSP835043
SSM832139



SSP835012
SSM832132



SSP835032
SSM834028



SSP835024
SSM832204




SSP835884
SSM840357



SSP852623
SSM852624




SSP841029
SSM838790



SSP844553
SSM842144

SSM840273



SSM832430



SSM832103 (Metal) 900mm x 600mm - incl. 4 pictograms



SSM838910 (Metal) 900mm x 600mm - incl. 4 pictograms

CODE	DESCRIPTION
SSP...	Mandatory Signs - Poly 450mm x 600mm
SSM...	Mandatory Signs - Metal 450mm x 600mm

BRADY

Danger Signs 600mm x 450mm

- 0.6mm Colorbond™ steel or 1.4mm polypropylene
- Suitable for outdoor conditions
- Compliant to AS 1319:1994
- Other sizes available

SSP835138
SSM834033



SSP844510
SSM832438



SSP835279
SSM834608



SSP835818
SSM840450



SSP835301
SSM841773



SSP835274
SSM841805



SSP835789
SSM840875



SSP840879
SSM840880



SSP854902
SSM832446



SSP842254
SSM832479



SSP842162
SSM832424



SSP840907
SSM840908



SSM840891



SSP840733
SSM840734



SSP842241
SSM840249



SSM832447



SSP835131



SSP835152



SSP835272
SSM841801



SSM832019



SSMU872493 - 300mm x 225mm
SSMU872495 - 450mm x 300mm
SSMU872497 - 600mm x 450mm

CODE	DESCRIPTION
SSP...	Danger Signs - Poly 600mm x 450mm
SSM...	Danger Signs - Metal 600mm x 450mm



Warning Signs 450mm x 600mm

- 0.6mm Colorbond™ steel or 1.4mm polypropylene
- Suitable for outdoor conditions
- Compliant to AS 1319:1994
- Other sizes available

SSM832455



Prohibition Signs 450mm x 600mm

- 0.6mm Colorbond™ steel or 1.4mm polypropylene
- Suitable for outdoor conditions
- Compliant to AS 1319:1994
- Other sizes available

SSP835186
SSM832312



SSP841744
SSM841745



SSP841389
SSM841390



SSP844439
SSM844440



SSP833884
SSM833859



SSP835190
SSM832330



SSP841142
SSM834630



SSP835227
SSM832348



SSP835223
SSM840204



SSP833886
SSM832082



SSP835773
SSM832537



SSP835805
SSM840605



SSP841647
SSM841648



SSP835188
SSM832324



SSP835253
SSM834733



SSP835196
SSM832170



SSP835255
SSM840222



SSP840642
SSM832561



SSP835385
SSM832456



SSP835103
SSM832293



SSP841381
SSM841382



SSP835201
SSM834010



SSP835192
SSM832167



SSP835199
SSM832180



SSP840660



SSP835377



SSM832425



SSM841380



SSM840309



SSP835225



SSP835644



SSP840471



SSP835381



SSP840614



SSMU872638
225mm x 300mm
SSMU872640
300mm x 450mm

CODE	DESCRIPTION
SSP...	Warning Signs - Poly 450mm x 600mm
SSM...	Warning Signs - Metal 450mm x 600mm

CODE	DESCRIPTION
SSP...	Prohibition Signs - Poly 450mm x 600mm
SSM...	Prohibition Signs - Metal 450mm x 600mm

CUSTOM SIGNS AVAILABLE SEE ORDER FORM PAGE 117



BRADY

First Aid Signs

- Polypropylene directional signs (300mm x 125mm) for first aid and evacuation requirements
- Polypropylene signs (450mm x 600mm) for first aid and location requirements
- Polypropylene or metal AED Defibrillator signs 225mm x 300mm
- Polypropylene V-shape AED Defibrillator sign 225mm x 225mm
- AED Defibrillator Sticker 180mm x 250mm



SSP873488



SSP841532



SSP841566



SSP841568



SSP872719 (Poly)
SSM872718 (Metal)
SSV879360 (Sticker)



SSP832185



SSP840000



SSP835324

BRADY

Fire Safety Signage

- Suitable for fire safety and location requirements
- Vinyl adhesive directional signs for fire safety and evacuation
- Vinyl fire exit and escape signs: 300mm x 125mm
- Polypropylene or metal fire equipment signs: 450mm x 600mm
- Polypropylene fire extinguisher ID discs: 200mm diameter



SSP832897



SSP832898



SSP832899



SSP832959



SSP840972



SSV840976



SSV833463



SSV833462



SSP841042 (Poly)



SSM841050 (Metal)



SSP843018 (Poly)
SSM843019 (Metal)



SSP841060 (Poly)
SSM834067 (Metal)



SSP841094 (Poly)
SSM841095 (Metal)

BRADY

Emergency Exit & Evacuation Signage



SSP832706



SSP832736



SSP832704



SSV851516



SSV851515



SSP832749



SSP832720



SSP832748




SSV851513



SSV851517

- UV stable 1.4mm polypropylene, 350mm x 180mm



450mm x 300mm
SSP835335 (Poly)
SSM841530 (Metal)



600mm x 450mm
SSP835365 (Poly)
SSM832491 (Metal)



600mm x 450mm
SSM852622 (Metal)
SSP852621 (Poly)



SSV851514



SSV851518



SSV877250



SSV877243

- 0.6mm Colorbond™ steel or UV stable 1.4mm polypropylene

- Luminous vinyl adhesive for indoor use, 450mm x 180mm



Custom Multiple Condition Signs

- 0.6mm Colorbond™ steel signs
- 200mm diameter self-adhesive pictograms
- Suitable for outdoor conditions
- Compliant to AS 1319:1994
- Other materials and sizes available



Select from template options and pictograms pictured

“MUST BE WORN...”

- SSM832103 - IN THIS AREA
- SSM832109 - BEYOND THIS POINT
- SSM832152 - WITHIN THIS FACILITY
- SSM834596 - ON THIS SITE

CODE	DESCRIPTION
SSM...	Multiple Condition Signs - Metal 900mm x 600mm
SSV...	Multiple Condition Pictograms - Self Adhesive 200mm Diameter



Standard Multiple Condition Sign


- 0.6mm Colorbond™ steel
- 900mm x 600mm
- 4 x 200mm diameter pictograms
- Compliant to AS 1319:1994

SSM846123




HAZCHEM Signage

- Dangerous goods vinyl adhesive diamonds - 250mm
- HAZCHEM metal warning and emergency information signs



TRANSPORT CUSTOM SIGN



STORAGE & HANDLING CUSTOM SIGN



SSV835494 - Vinyl 250mm x 250mm
 SZDGP:250P - Poly 250mm x 250mm
 SZDGP:270-P - Poly 270mm x 270mm
 SZDGP:270:M - Metal 270mm x 270mm



SSM832040



SSM832041



SSM833620



SSV835481

SSV835484

SSV835482



SSV835496

SSV835483

SSV837007



SSV835490

SSV835493

SSV835488



COMPOSITE CUSTOM WARNING

VIEWING DISTANCE GUIDE

Safety signs should be large enough to view without straining the eyes.

Follow this easy four-step guide to ensure your safety signs comply with Australian Standard® AS 1319 – 1994 and help everyone return home safely.

1. CONSIDER THE OVERALL POSITIONING

- ▶ Mount your safety sign in a reasonably prominent position, close to the line of sight when standing
- ▶ Place your safety sign against a contrasting background
- ▶ Ensure stacked materials won't block the sign under any circumstances.

2. MEASURE THE VIEWING DISTANCE

- ▶ The viewing distance is the distance between where the sign will be mounted and where everyone should sight the sign upon entry to the room or site
- ▶ To determine the best sign size for your situation, use the Sign Guide below
- ▶ Measure the viewing distance and apply it to the pictogram and text size below in Step 4

NOTE: This guide is only applicable to Brady Australia manufactured signs due to the design of the artwork.

3. CONSIDER THE LIGHTING CONDITIONS

- ▶ If your sign is unlikely to fall easily into the observer's line of sight in poor lighting conditions, you must increase the pictogram and text sizes by 50% (see Step 4)

4. SELECT THE RIGHT AND COMPLIANT SIZE SIGNS


- ▶ Australian Standard® AS 1319 – 1994 recommends the following minimum sizes when positioning signs prominently in good lighting
- ▶ Ensure pictogram size is at least 15mm per metre of viewing distance
- ▶ Uppercase text must be 5mm per metre of viewing distance
- ▶ Lowercase text must be 4mm per metre of viewing distance

NOTE: When in poor lighting, increase above specifications by 50% to ensure sign falls readily into the line of sight.

Sign Maintenance

Once mounted, chances are you will rarely clean your signs. But to keep them compliant, Australian Standard AS 1319 – 1994 makes it your responsibility to maintain your safety signs, ensuring maximum effectiveness. This means you must keep them clean, well illuminated and in good condition.

Good news – Brady signs are tough, durable and super easy to clean. Simply wipe the surface using a sponge or soft towel with mild detergent and warm water. Then, dry with a clean, dry cloth or chamois. Always use a non-abrasive cleaner, and avoid chemical cleaning products.



CUSTOMISE YOUR SIGNAGE - ORDER FORM

Please complete one form per sign design. For more information on our offering of custom signs and labels please contact your SafetyQuip store.

STEP 1: Specify Material, Size, Format & Quantity

MATERIAL	STANDARD SIZES	NON-STANDARD SIZES	QUANTITY
<input type="checkbox"/> Polypropylene (POLY) - 1.4mm	<input type="checkbox"/> 900 x 600 mm	Height (mm)	
<input type="checkbox"/> Colorbond Steel (METAL) - 0.55mm	<input type="checkbox"/> 600 x 450 mm	Width (mm)	
<input type="checkbox"/> Self Adhesive Vinyl (SAV) - 0.11mm	<input type="checkbox"/> 450 x 300 mm	<i>No minimum order. Please call SafetyQuip for a quote and delivery.</i>	
<input type="checkbox"/> Multiflute (FLUTE) - 3mm	<input type="checkbox"/> 300 x 225 mm		
<input type="checkbox"/> OTHER:	<input type="checkbox"/> 250 x 180 mm		
	<input type="checkbox"/> 90 x 125 (for SAV only)		
		STANDARD SIZES	
		<input type="checkbox"/> Landscape \longleftrightarrow	
		<input type="checkbox"/> Portrait \updownarrow	
		<input type="checkbox"/> OTHER:	

STEP 2: Choose Layout & Colour

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>								
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<table border="1"> <thead> <tr> <th>BACKGROUND COLOUR</th> <th>TEXT COLOUR</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/> White</td> <td><input type="checkbox"/> Black</td> </tr> <tr> <td><input type="checkbox"/> Yellow</td> <td><input type="checkbox"/> Blue</td> </tr> <tr> <td><input type="checkbox"/> Red</td> <td><input type="checkbox"/> Green</td> </tr> </tbody> </table>		BACKGROUND COLOUR	TEXT COLOUR	<input type="checkbox"/> White	<input type="checkbox"/> Black	<input type="checkbox"/> Yellow	<input type="checkbox"/> Blue	<input type="checkbox"/> Red	<input type="checkbox"/> Green
BACKGROUND COLOUR	TEXT COLOUR												
<input type="checkbox"/> White	<input type="checkbox"/> Black												
<input type="checkbox"/> Yellow	<input type="checkbox"/> Blue												
<input type="checkbox"/> Red	<input type="checkbox"/> Green												

STEP 3: Add Legend Text / Pictogram

PRINT CLEARLY IN CAPITAL LETTERS WITH MAX. 100 CHARACTERS

* If picto required, either sketch or write down Brady part number of picto

STEP 4: Add Finishes & Mounting Options

FINISHES	MOUNTING
<input type="checkbox"/> Class 1 Reflective	<input type="checkbox"/> Standard Corners & Holes
<input type="checkbox"/> Class 2 Reflective	<input type="checkbox"/> Round Corners - NO Holes
<input type="checkbox"/> Luminous (BradyGlo)	<input type="checkbox"/> Square Corners - NO Holes
<input type="checkbox"/> Overlamine (UltraTuff)	<input type="checkbox"/> Round Corners Post Holes
	Other:

STEP 4: Add any Logos or Special Artwork (Optional)

IS LOGO/ARTWORK AVAILABLE?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
IS A PROOF REQUIRED?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

*Artwork and logo must be supplied as a digital file in JPEG, EPS or TIFF format. Min. 300 DPI resolution.

Note: Custom product(s) cannot be returned or refund requested unless the product is affected by a quality issue or the product does not match the artwork proof signed off by the customer.

STEP 6: Fill in contact details and submit to SafetyQuip

CUSTOMER AND SHIPPING INFORMATION	
Company:	Order Number:
Contact Name:	Quote Number:
Contact Phone:	Date Submitted:
Email:	Date Required:
Ship To:	


Important Note: As this is a custom sign, we cannot state that our custom signs will comply to any particular Standards as the wording, pictos, colours, etc. have been supplied by yourself. It is your responsibility to ensure that your designed sign complies to the relevant Australian Standard.



UNIFORM SAFETY SIGNS

Multi Message Frame & Signs

- Sturdy multi message frame with optional fixed or folding bipod legs sold separately
- Corflute Class 1 reflective signage
- Wide range of signage messages available in 1200mm x 300mm, 600mm x 600mm and 1200mm x 600mm



ROADWORK AHEAD

TZSMMT910

END ROADWORK

TZSMMT99

REDUCE SPEED

TZSMMT950

PREPARE TO STOP

TZSMMT922

← PEDESTRIANS

TZSMMT918

PEDESTRIANS →

TZSMMT919



TZSMMT935



TZSMMT936



TZSMMT927



TZSMMT926



TZSMMT930



TZSMMT925

CODE	DESCRIPTION	DIMENSIONS
TZSFMM01	Multi Message Frame	1200mm x 600mm
TZBPFLO1	Multi Message Bipod Folding Legs	-
TZBPFLO2	Multi Message Bipod Fixed Legs	-
TZSMMT935	Corflute Sign - '50'	600mm x 600mm
TZSMMT936	Corflute Sign - '60'	
TZSMMT927	Corflute Sign - 'Roadwork Ahead'	
TZSMMT926	Corflute Sign - 'End Roadwork'	
TZSMMT930	Corflute Sign - Symbolic 'Workmen Ahead'	
TZSMMT925	Corflute Sign - 'Pedestrians Watch Your Step'	
TZSMMT910	Corflute Sign - 'Roadwork Ahead'	1200mm x 300mm
TZSMMT99	Corflute Sign - 'End Roadwork'	
TZSMMT950	Corflute Sign - 'Reduce Speed'	
TZSMMT922	Corflute Sign - 'Prepare To Stop'	
TZSMMT918	Corflute Sign - '← Pedestrians'	
TZSMMT919	Corflute Sign - 'Pedestrians →'	

UNIFORM SAFETY SIGNS

Traffic Control Stop/Slow Batons

- Wooden or extendable aluminium handle
- Compliance to Australian Standards for Class 1 Reflective
- Size options of 450mm or 600mm



CODE	DESCRIPTION	UOM
TZSSW450C1	Stop/Slow Baton C1 Wooden Handle - 450mm	Ea
TZSSA450C1	Stop/Slow Baton C1 Aluminium Handle - 450mm	Ea
TZSSW600C1	Stop/Slow Baton C1 Wooden Handle - 600mm	Ea

UNIFORM SAFETY SIGNS

Swing Signs

- Metal swing signs
- Size: 900mm x 600mm
- Signs available separately
- Full range of traffic control messages available
- Galvanised 'A' frame swing stand
- Compliance to Australian Standards for Class 1 Reflective



TZSWS516



TZSWS500



TZSWS502



TZSWS517



TZSWS506



TZSWS511




TZSWS503



TZSWS514



TZSWS515



TZSWS210



TZSWS513



TZSWS504



TZSWS508



TZSWS518



TZSWS507

CODE	DESCRIPTION	DIM.
TZSWS516	Swing Sign & Stand - Symbolic 'Workmen Ahead'	900mm x 600mm
TZSWS500	Swing Sign & Stand - 'Roadwork Ahead'	
TZSWS502	Swing Sign & Stand - 'Road Closed'	
TZSWS517	Swing Sign & Stand - Symbolic 'Stop/Slow' Controller	
TZSWS506	Swing Sign & Stand - Detour Ahead'	
TZSWS511	Swing Sign & Stand - Pictograph 'Truck'	
TZSWS503	Swing Sign & Stand - 'Pedestrians Watch Your Step'	
TZSWS514	Swing Sign & Stand - '← Pedestrians'	
TZSWS515	Swing Sign & Stand - 'Pedestrians →'	
TZSWS210	Swing Sign & Stand - Right Directional Arrow	
TZSWS513	Swing Sign & Stand - Footpath Closed'	
TZSWS504	Swing Sign & Stand - 'Use Other Footpath'	
TZSWS508	Swing Sign & Stand - 'Traffic Hazard Ahead'	
TZSWS518	Swing Sign & Stand - 'Prepare To Stop'	
TZSWS507	Swing Sign & Stand - 'Grass Cutting In Progress'	



HI VIS T-Post Bollards

- Manufactured from UV stabilised high quality PVC
- Reflective band on HI VIS orange colour for excellent visibility
- Removable base for ease of storage and transport
- Available with 6kg or 8kg base



CODE	DESCRIPTION	UOM
TBOLL6	1.0m Orange Reflective Bollard 6kg Base	Ea
TBOLL8	1.0m Orange Reflective Bollard 8kg Base	Ea
TSTEM	T-Top HI VIS Bollard Stem 1.0m Height - No Base	Ea
TBASE6	Bollard Base only - 6kg	Ea
TBASE8	Bollard Base only - 8kg	Ea



Traffic Cone Light

- Fits most traffic cones
- 1 x 1 Watt LED, requires three C batteries
- Four flash patterns
- Available in manual On/Off version or with Day/Night function



CODE	DESCRIPTION	COLOURS	UOM
TLC2	Traffic Cone Light - Manual On/Off Version	Amber, Red, Blue, Green, Clear	Ea



Traffic Cone Extension Bar

- Exterior grade ABS plastic
- Rubberised loops both ends
- Extendable: closed 135cm, extended 210cm
- HI VIS 15cm yellow reflective bands




CODE	DESCRIPTION	UOM
TCBAR	Traffic Cone Extension Bar	Ea



Hi Vis Traffic Cones

- Made from UV stabilised high quality orange PVC
- Stackable for ease of storage and transport
- HI VIS orange colour for excellent daytime visibility




CODE	DESCRIPTION	UOM
TCONE300	300mm Orange Road Cone	Ea
TCONE450	450mm Orange Road Cone	Ea
TCONE700	700mm Orange Road Cone	Ea
TCONE450R	450mm Orange Reflective Road Cone	Ea
TCONE700R	700mm Orange Reflective Road Cone	Ea



Orange Barrier Fencing Mesh

- High quality polypropylene for longer life
- 50m x 1m rolls individually bagged, weight of 8kg per roll
- Manufactured in accordance with AS 1742.3:2019



CODE	DESCRIPTION	UOM
TBM8	8kg Orange Mesh 1m x 50m	Roll



Site/Facilities Traffic Management Signs

- Speed limit signage for general site use
- Directional traffic signage for employee and visitor safety
- 450mm x 600mm metal signs shown



SSM834051
(600mm x 600mm)



SSM841876



SSM841878



SSM841848



SSM841855



SSM843212



SSM833969



SSM841852



SSM841872



SSM841850



SSM841846



SSM833970



SSM833971



Fixed Round Bollards

- 1.0m surface mount or below ground bollard options
- Standard Class 1 reflective band c/w caps
- Galvanised and powder coated
- Supplied with fixings for surface mount
- Heavy duty or economy options
- Optional chain ring kit



TBOLLZRK



TBOLLS90

TBOLLS90G

CODE	DESCRIPTION	DIMENSIONS	UOM
TBOLLS90	Bollard Surface Mount Heavy Duty	1.0m(H) x 90mm(D) x 5mm(W)	Ea
TBOLLS90G	Bollard Below Ground Heavy Duty	1.0m(H) x 90mm(D) x 5mm(W)	Ea
TBOLLS90E	Bollard Surface Mount Economy	1.0m(H) x 90mm(D) x 3.2mm(W)	Ea
TBOLLS90GE	Bollard Below Ground Economy	1.0m(H) x 90mm(D) x 3.2mm(W)	Ea
TBOLLS140	Bollard Surface Mount Heavy Duty	1.2m(H) x 140mm(D) x 5mm(W)	Ea
TBOLLS140G	Bollard Below Ground Heavy Duty	1.2m(H) x 140mm(D) x 5mm(W)	Ea
TBOLLS140E	Bollard Surface Mount Economy	1.2m(H) x 140mm(D) x 3.5mm(W)	Ea
TBOLLS140GE	Bollard Below Ground Economy	1.2m(H) x 140mm(D) x 3.5mm(W)	Ea
TBOLLZRK	Bollard Chain Ring Kit	-	Ea



Slo-motion Steel Speed Hump



- Standard 3mm or heavy duty 6mm steel options
- 1m or 0.5m modules with choice of rubber or steel end caps
- Designed to comply with AS/NZS 2890.1:2004
- Built-in bridge design to accommodate hoses or cables
- Supplied with all necessary fixings

CODE	DESCRIPTION	COLOUR	UOM
TSHM500S	Speed Hump Standard 3mm - 0.5m Module	Black/ Yellow	Ea
TSHM1000S	Speed Hump Standard 3mm - 1.0m Module		Ea
TSHM500	Speed Hump Heavy Duty 6mm - 0.5m Module		Ea
TSHM1000	Speed Hump Heavy Duty 6mm - 1.0m Module		Ea
TSHR250E	Speed Hump Rubber End Caps - 0.19m	Black	Pr
TSHMECS	Speed Hump Steel End Caps - 0.175m	Yellow	Pr
TSHSKIT	Complete Speed Hump Sign Kit	-	Kit



Slo-Motion Economy Rubber Speed Hump




- Economical recycled and natural rubber
- Built-in bridge cable channel
- 250mm body modules with 190mm rubber end caps
- Complies with AS/NZS 2890.1:2004
- Supplied with all necessary fixings



CODE	DESCRIPTION	COLOUR	UOM
TSHR250Y	Speed Hump Compliance 250mm Body	Yellow	Ea
TSHR250B	Speed Hump Compliance 250mm Body	Black	Ea
TSHR250E	Speed Hump Compliance 190mm End Cap	Black	Pr
TSHSKIT	Complete Speed Hump Sign Kit	-	Kit



Slo-Motion Compliance Speed Hump



- Heavy duty injection moulded linear low density polyethylene
- 250mm body modules with 180mm rubber end caps
- Built-in bridge cable channel and prismatic reflectors
- Complies with AS/NZS 2890.1:2004
- Supplied with all necessary fixings

CODE	DESCRIPTION	COLOUR	UOM
TSHP250Y	Speed Hump Compliance 250mm Body	Yellow	Ea
TSHP250B	Speed Hump Compliance 250mm Body	Black	Ea
TSHP250E	Speed Hump Compliance 180mm End Cap	Black	Pr
TSHSKIT	Complete Speed Hump Sign Kit	-	Kit



Parking Wheel Stops



- Heavy duty injection moulded linear low density polyethylene or recycled rubber
- Economical and simple to install
- Moulded one-piece designs
- Complies with AS/NZS 2890.1:2004
- Fixing kits sold separately

TWS1650

TWS1700




CODE	DESCRIPTION	COLOURS	UOM
TWS1700	LLDPE Wheel Stop 1.7m(L) x 160mm(W) x 100mm(H)*	Yellow, Blue, Grey	Ea
TWS1650	Rubber Wheel Stop 1.65m(L) x 155mm(W) x 95mm(H)	Black/Yellow	Ea



Wheel Chocks

- Recycled high quality moulded rubber
- Single & double-sided options



TWC2

TWC1

CODE	DESCRIPTION	UOM
TWC1	Wheel Chock Single Side 255mm(L) x 210mm(H) x 180mm(W)	Ea
TWC2	Wheel Chock Double Side 250mm(L) x 220mm(H) x 180mm(W)	Ea
TWC3	Wheel Chock Heavy Duty 305mm(L) x 260mm(H) x 300mm(W)	Ea



Kerb Ramps

- Portable heavy duty moulded rubber ramp
- Recessed mounting holes for securing ramp in place



TKR1030

TKR100E

CODE	DESCRIPTION	UOM
TKR1030	Kerb Ramp Black 110mm(H) x 430mm(D) x 480mm(W)	Ea
TKR100	Kerb Ramp Body HI VIS 100mm(H) x 320mm(D) x 610mm(W)	Ea
TKR100E	Kerb Ramp End Cap HI VIS 100mm(H) x 310mm(D) x 310mm(W)	Ea



Pilot 10m Belt Barrier

- Belt extends to 10m
- Four-way connectivity
- Economical solution
- Pilot body comes complete with braked belt, locking clip, cone mount adaptor and locking wall receiver
- Wall Mount: Permanently fix to any flat surface, supplied with belt wall receiver
- Magnetic Mount: Temporarily attach to any metal surface, built-in safety bungy, supplied with magnetic wall receiver



PILOT SHOWN WITH CONE MOUNT ATTACHMENT (INCLUDED)

CODE	DESCRIPTION	COLOURS	UOM
TBSPIL0T	Pilot with 10m Belt & Cone Mount Adaptor	Black/Yellow, Red/White, Blue, Black, Red, Yellow	Ea

Cone Mount Attachment

- 80mm diameter
- Can be screwed to the cone for greater security



CODE	DESCR.	UOM
TBSPIL0TCMA	Cone Mount Attachment	Ea

4-Way Receiver

- 60mm diameter
- Allows up to four Pilot belts to be terminated simultaneously



CODE	DESCR.	UOM
TBSPIL0T4WR	4-Way Receiver	Ea

Wall Mount Bracket

- Can be permanently fixed to any flat surface or to Multi-Post
- Twist-lok feature for quick attachment or removal of the Pilot unit




CODE	DESCR.	UOM
TBSPIL0TWMB	Bracket	Ea
TBSPIL0TRC	Receiver	Ea

Magnetic Mount

- The strong magnet allows temporary placement of the Pilot unit on any steel surface
- Comes with a built-in safety bungy



CODE	DESCR.	UOM
TBSPIL0TMMB	Bracket	Ea
TBSPIL0TND	Receiver	Ea



PILOT UNIT NOT INCLUDED

20kg Portable Post & Base

- For outdoor windy locations
- Cast iron base

6.8kg Hi-Line Post & Base

- 1m UPVC traffic post
- Rubber base

CODE	DESCR.	UOM
TBSPIL0T20	20kg Portable Post & Base	Ea
TBSPIL0THLPCV	6.8kg Hi-Line Post & Base	Ea

Solar Powered Flashing Light

- Solar powered, no batteries required
- Off, Flash and Static modes



CODE	COLOURS	UOM
TBSPIL0TLT	Red, White, Amber, Green	Ea

Sign Holder

- Compatible with all Pilot Twist-lok receivers
- Clear double-sided acrylic sign pocket



CODE	DESCRIPTION	UOM
TBSPIL0TA4	A4 Sign Holder	Ea
TBSPIL0TA5	A5 Sign Holder	Ea



Retracta-Belt System

Wall Mount

- For wall mount applications
- Belt is quickly deployed or released
- Complete with bracket and receiver clip



TBRWM76

Magna Mount

- Complete with magnetic receiver clip
- Designed for temporary placement - easily relocated
- Semi-permanent, magnetic fixed placement




TBRMM76

CODE	DESCRIPTION	COLOURS	UOM
TBRWM76	Retracta-Belt Wall Mount (1.2kgs) - 7.6m	Red/White, Black/Yellow, Red, Black, Yellow	Ea
TBRMM76	Retracta-Belt Magna Mount (1.5kgs) - 7.6m	Red/White, Black/Yellow	Ea



Portable Plastic Fence Barrier

- Low cost portable and stackable crowd control barrier
- Interlocking free-standing panels
- Durable polyethylene in HI VIS orange
- Black recycled rubber feet



CODE	DESCRIPTION	COLOURS	UOM
TBF2000	Portable Plastic Fence Barrier (13kgs) - 1.0m(H) x 2.0m(W)	Orange, Yellow	Ea



Port-a-guard Expandable Barrier

- 3.0m or 6.0m kits include freestanding and wall mounted configurations
- Suitable for indoor & outdoor use
- 990mm(H) with 400mm wide feet for increased stability
- Extruded aluminium post and slats with powder coated finish
- Wall receiver and sign brackets included



TBP300

CODE	DESCRIPTION	COLOURS	UOM
TBP300	Port-a-guard Barrier Kit (5.7kgs) - 3.0m	Red/White, Black/Yellow	Ea
TBP600	Port-a-guard Barrier Kit (9.8kgs) - 6.0m	Red/White, Black/Yellow	Ea



Mobile Expanding Barrier

- Lightweight and portable crowd control barrier
- Durable polyethylene construction in HI VIS yellow
- Castor wheels & locking straps for ease of handling
- Easy to set up and fold away



CODE	DESCRIPTION	UOM
TBEMTOBY	Expanding Mobile Barrier (16kgs) - 1.0m(H) x 4.0m(W)	Ea



Hazard Barricade Tape

- 50µ medium duty plastic tape
- 75mm wide
- 100 metre rolls (except "Danger Asbestos Hazard": 300m roll)



CODE	DESCRIPTION	UOM
ST75BYC	Yellow 'Caution'	100m Roll
ST75BRWD	Red/White Diagonal 'Danger'	100m Roll
ST75BRWDNE	Red/White Diagonal 'Danger Do Not Enter'	100m Roll
ST75BYDAH	Yellow 'Danger Asbestos Hazard'	300m Roll
ST75BBW	Blue/White Diagonal	100m Roll
ST75BGW	Green/White Diagonal	100m Roll
ST75BRW	Red/White Diagonal	100m Roll
ST75BYB	Yellow/Black Diagonal	100m Roll



HI VIS Bunting Flags

- HI VIS orange PVC triangle flags
- Rectangular reflective yellow tabs for day/night use
- 45 flags over 30m length
- Reuseable high strength nylon rope



CODE	DESCRIPTION	UOM
TLINE5	HI VIS Orange Bunting Flags - 30m	Ea
TLINE4	HI VIS Orange Bunting Flags c/w Reflective Tabs - 30m	Ea



Barrier Safety Chain

- Manufactured from 8mm UV stabilised plastic
- Provides excellent visibility for both indoor and outdoor hazard areas
- Sold per metre or in roll lengths (25m)



CODE	DESCRIPTION	UOM
TCHAIN8	8mm Link Chain - Yellow	Per Metre or 25m Roll
TCHAIN9	8mm Link Chain - Red/White	Per Metre or 25m Roll



Road Safety Traffic Light

- High intensity double sided light
- UV stabilised high impact polyethylene case
- 18cm high impact polycarbonate lens
- Flashing (65FPM) or steady light mode
- Supplied with two 6V batteries and mounting bracket
- Automatic internal photo cell activation via manual key



CODE	DESCRIPTION	UOM
TRLSLY	Road Safety Traffic Light	Ea



Foxfire LED Range

- 26 super bright LEDs
- Magnetic back/pullout stand
- Magnifier on each LED
- Front and side illumination
- Modes: constant on, flash, side-to-side
- Other colours available to order
- Dimensions: H50mm x W100mm x L160mm
- Requires four AA batteries



CODE	DESCRIPTION	COLOURS	UOM
TLP5L263	Foxfire LED Signal Light	Red, Amber, Blue, Red/Blue, Red/White	Ea



LED Traffic Batons

- Heavy duty
- TLPB411 operates in torch only mode, baton only mode, or combination torch and baton
- TLPB412 operates in either flash or static mode
- Requires two D batteries



CODE	DESCRIPTION	COLOURS	UOM
TLPB411	LED Traffic Baton & Torch D42mm x L410mm	Red c/w White Torch	Ea
TLPB412	LED Traffic Baton D45mm x L550mm	Red	Ea



Portable LED Beacon

- Compact and portable 360° LED light
- 24 super bright LEDs
- Magnetic base
- Requires two D batteries (not included)
- Switch activated Day/Night function



CODE	DESCRIPTION	DIMENSIONS	COLOURS	UOM
TL24	Portable LED Beacon	121mm(H) x 104mm(D)	Amber	Ea



Dome LED Beacon

- Wireless Lithium-ion battery
- Magnetic base with suction cup
- Low power draw - 10 bright LEDs
- 7 selectable flash patterns including 4 rotating and 3 flashing options
- Supplied with 12V and 240V charger
- Dimensions: 160mm(H) x 130mm(D)



CODE	DESCRIPTION	UOM
TL081ABM12V	Beacon - LED Dome Magnetic Base 12-24VDC - Amber	Ea
TL081ABM-R	Beacon - LED Dome Magnetic Base Rechargeable - Amber	Ea
TL081ABM-RRC	Beacon - LED Dome Magnetic Base Rechargeable with Remote - Amber	Ea



Nano LED Vehicle Beacon

- Ultra compact minimalist design
- Wireless Lithium-ion battery
- Magnetic base with suction cup
- 30 bright LEDs
- 7 flash patterns
- Supplied with 12-24VDC and 240V charger
- Dimensions: 75mm(H) x 102mm(D)



CODE	DESCRIPTION	UOM
TL016ABM12V	Beacon - LED Nano Magnetic Base Rechargeable 12-24VDC - Amber	Ea
TL016ABM-RRC	Beacon - LED Nano Magnetic Base Rechargeable 12-24VDC with Remote - Amber	Ea



Chase LED Beacon

- 12-24VDC beacon
- 2.35m cord
- 40 bright LEDs
- 7 selectable flash patterns
- Hard mountable magnetic base with suction cup
- Unique multiple LED chase and flash patterns
- Dimensions: 55.3mm(H) x 135mm(D)



CODE	DESCRIPTION	UOM
TL010ABMC12V	Beacon - LED Chase Magnetic Base 12-24VDC - Amber	Ea



Tough LED Beacon

- 12-24VDC beacon
- 20 bright LEDs
- 7 flash patterns
- Long 3.35m cord
- Heavy duty design with aluminium body
- Hard mountable magnetic base with suction cup
- Dimensions: 92mm(H) x 169mm(D)




CODE	DESCRIPTION	UOM
TL013ABM12V	Beacon - LED Tough Magnetic Base 12-24VDC - Amber	Ea



Bravo LED Mini Bar

- Magnetic base 12-24VDC beacon
- 20 bright LEDs and twin reflector design for maximum visibility
- Long 3.3m cord
- 7 flash patterns
- Dimensions: 304.5mm(L) x 157.4mm(D) x 59mm(H)



CODE	DESCRIPTION	UOM
TL012ABM12V	Minibar - LED Bravo Magnetic Base 12-24VDC - Amber	Ea



Vehicle Whip Aerials

- Sturdy fibreglass construction
- Quick release adapter and heavy duty spring mount
- HI VIS orange nylon mesh flag with silver reflective cross
- 1.8 and 2.4m versions are segmented for ease of storage



CODE	DESCRIPTION	UOM
TLWAN12	1.2m Whip Aerial	Ea
TLWAN18	1.8m Whip Aerial in 2 Segments	Ea
TLWAN24	2.4m Whip Aerial in 2 Segments	Ea



Portable Warning Triangles

- Red reflective, fold flat triangle set
- Side length: 440mm
- Set of 3 in sturdy hard case
- Complies with AS 3790:1992 and AS/NZS 1906.2:2007



CODE	DESCRIPTION	UOM
TLT3	Warning Triangles Set of 3	Set



Diamond Grade™ Reflective Vehicle Tape

- Highly reflective surface delivers high vehicle/object visibility
- Suitable for use on any hard surface areas including machinery, scaffolds and ladders
- Strong adhesive for permanent bond to surfaces



CODE	DESCR.	DIM.	COLOURS	UOM
STV983-13R15	Diamond Grade Vehicle Marking Tape	50mm x 15m	White, Yellow, Red	Roll
STV983-13-R3		50mm x 3m	White, Yellow, Red, Yellow/Red, Red/White, Yellow/Black	Roll
STV983-15R15	Diamond Grade Vehicle Marking Tape Fluorescent	50mm x 15m	Fluorescent Yellow/Green	Roll
STV983-15-R3		50mm x 3m	Fluorescent Yellow/Green	Roll



Wheel Nut Indicators

- Provides a visual that a wheel nut has loosened
- Easy to install
- Each indicator is separately marked with the size
- Available in various sizes in both ring style and with an extended cap



CODE	DESCRIPTION	SIZES (MM)	UOM
YVWNIR	Wheel Nut Indicator Ring	19, 21, 32, 33, 41	Ea
YVWNIC	Wheel Nut Indicator Ring with Extended Cap	19, 21	Ea



Remote Area Lighting Systems

- Durable in extreme industrial environments
- Portable, lightweight, silent
- Rechargeable
- Maintenance free
- No oils, no spills, no trips



BL9430



BL9440



BL9460



BL9430 FOLDED

CODE	DESCRIPTION	COLOURS	UOM
BL9430	9430 Remote Area Lighting System, 15hrs burn time (Low), rechargeable 12v Battery	Black/ Yellow	Ea
BL9440	9440 Remote Area Lighting System, 6hrs burn time (Low), rechargeable NiMH battery	Black/ Yellow	Ea
BL9460	9460 Remote Area Lighting System, 40hrs burn time (Low), rechargeable 12V Battery	Black/ Yellow	Ea



3765 LED Flashlight

- Compact, rugged, lightweight design
- 237 lumens
- Up to 301m beam (High)
- Rechargeable NiMH battery pack
- Also operates on 4 standard AA alkaline batteries (not included)
- Battery level indicator
- Car charger available
- 4 LED modes: High, Low, Downcast, Flashing
- Burn time: 9 hours on Low, 3 hours on High



CODE	DESCRIPTION	COLOURS	UOM
BT3765	3675 Rechargeable LED Flashlight	Yellow	Ea

On Site Safety

Torrent Intrinsic Safe Torch

- 1 Watt OSRAM Golden Dragon LED
- IP Rating: IP67
- Screw lock
- Push button On/Off
- Helmet mounted
- Operates on four AA batteries (not included)



BT1013LWY

BTZ002BD

CODE	DESCRIPTION	UOM
BT1013LWY	Torrent Torch	Ea
BTZ002BD	Slot Holder	Ea
BTZ002BE	Peak Mount Holder	Ea



Personal Safety Lights

- Suited to any personal warning light application
- 4 high intensity LEDs
- Multiple flash patterns
- Operates on two AAA batteries
- Cap attachable kit option



HCXLITE

TLP34

CODE	DESCRIPTION	FLASH PATTERNS	COLOURS	UOM
TLP34C	Mini Personal 65mm(H) x 34mm(W)	2	Clear	Ea
TLP34	Mini Personal 65mm(H) x 34mm(W)	3	Red, Amber	Ea
HCXLITE	Mini Personal Safety Cap Kit	-	Red, Amber	Ea
TLP34	Personal 72mm(H) x 52mm(W)	3	Red, Amber, Green	Ea
TLP34BL	Personal 72mm(H) x 52mm(W)	3	Blue	Ea



Torch Light

- Compact, high powered metal torch light
- High intensity 5W LED
- 220 lumens
- Includes wrist strap and pouch
- Operates on three AAA batteries (included)
- Adjustable beam spread - high or low beam functions



CODE	DESCRIPTION	UOM
BT52	Torch Light	Ea



Phoenix Rechargeable Headlamp

- Rechargeable headlamp with motion activated high beam
- Water resistant
- High beam, low beam, red night light, red and white flashing modes
- 3 Watt LED, visible up to 80 metres
- Also available: Battery Operated Headlamp



BTHLR3W



BTHL3W

CODE	DESCRIPTION	UOM
BTHLR3W	Phoenix Rechargeable Headlamp	Ea
BTHL3W	Battery Operated Headlamp	Ea



Indoor Convex Mirrors

- Durable, scratch resistant acrylic mirrors
- Ideal for indoor applications where easy viewing of unguarded areas is required
- Ball and swivel plates are attached directly to the mirror to reduce weight and costly installation
- Supplied with installation instructions and mounting brackets



CODE	DESCRIPTION	UOM
YM851307	Indoor Wall Mount 300mm	Ea
YM851308	Indoor Wall Mount 660mm	Ea
YM851309	Indoor Wall Mount 760mm	Ea



Economy Indoor Convex Mirrors

- Lightweight acrylic indoor mirrors
- Available in a range of sizes to suit workplace situations
- Supplied with installation instructions and mounting bolts



CODE	DESCRIPTION	UOM
YM844163	Indoor Economy Wall Mount 305mm	Ea
YM844164	Indoor Economy Wall Mount 457mm	Ea
YM833067	Indoor Economy Wall Mount 609mm	Ea
YM844165	Indoor Economy Wall Mount 760mm	Ea
YM856095	Indoor Economy Wall Mount 914mm	Ea



Outdoor Industrial Mirrors

- Weatherproof and UV resistant mirrors designed for both outdoor and indoor use
- Strong industrial mirror featuring a 160° wide, 120° angle that provides a full overhead view
- Lightweight acrylic mirrors with rubber rim & heavy duty backing
- Supplied with installation instructions and heavy duty steel mounting brackets



CODE	DESCRIPTION	UOM
YM833068	Outdoor Wall Mount 457mm	Ea
YM833072	Outdoor Wall Mount 610mm	Ea
YM844161	Outdoor Wall Mount 914mm	Ea
YM856109	Outdoor Wall Mount 457mm - Scratch Resistant	Ea
YM856110	Outdoor Wall Mount 660mm - Scratch Resistant	Ea
YM856112	Outdoor Wall Mount 914mm - Scratch Resistant	Ea



Heavy Duty Traffic Mirrors

- Engineered for use as a safety, security & surveillance mirror in high traffic areas
- High resolution image for extra safety
- Stainless steel, weatherproof mirror and backing is virtually unbreakable
- Supplied with instructions and heavy duty steel mounting brackets





CODE	DESCRIPTION	UOM
YM856096	Stainless Steel Outdoor Wall Mount 457mm	Ea
YM844406	Stainless Steel Outdoor Wall Mount 660mm	Ea
YM844404	Stainless Steel Outdoor Wall Mount 800mm	Ea
YMZ873898	Wall Mount Attachment for Traffic Mirror	Ea



Dome Mirrors

- Acrylic dome mirrors for indoor applications
- Additional sizes available




CODE	DESCRIPTION	SIZE	UOM	CODE	DESCRIPTION	SIZE	UOM	CODE	DESCRIPTION	SIZE	UOM
YMD844168	Full Dome	457mm	Ea	YMD833064	Half Dome	457 x 300mm	Ea	YMD844166	Quarter Dome	457mm	Ea
YMD844169	Ceiling Mount	609mm	Ea	YMD833065	Wall Mount	660 x 300mm	Ea	YMD856114	Corner Mount	660mm	Ea

VIEWING/INSTALLATION GUIDE

Choosing the Appropriate Mirror

To determine the correct mirror size, simply follow these step by step instructions:

Step 1: Estimate the distance from the viewer to the proposed mirror location.



Step 2: Estimate the distance from the proposed mirror location to the area/object to be observed.



Step 3: Combine the previous distances. (Step 1 and Step 2). The total distance is your guide to the correct mirror size. Use the table shown to choose appropriate mirror size. If in doubt choose the larger size.



VIEWING DISTANCE GUIDE

Size of Mirror (diameter)	Best Distance
300mm	Up to 12 metres
450mm	Up to 15 metres
600mm	Up to 20 metres
760mm	Up to 25 metres
1000mm	Over 25 metres

Note: Viewing Distances are only a guideline and are recommended based on straight viewing. It is recommended to go up a size or two with multiple intersection or poor lighting areas.

SpillSmart

General Purpose Spill Kits

- Suitable for land based spills
- Absorbs water-based non-hazardous liquids: paints, coolants, hydrocarbons – including oils, fuels and grease
- Includes premium SpillSmart bioactive absorbents for rapid & effective clean up



DO NOT USE FOR AGGRESSIVE LIQUIDS & CHEMICALS

- Ideal solution for workshops and general work areas
- All kits supplied with nitrile gloves & instruction sheet

SpillSmart

General Purpose Bin Kits

- 120L or 240L yellow polyethylene bin options
- Heavy duty wheels



CONTENT ITEM	120L BIN YSGK120	240L BIN YSGK240
Floor Sweep	2 x 10kg	3 x 10kg
Socks	3 x 1.2m	4 x 1.2m, 1 x 3m
Pillows	1	2
Poly Pads - Heavyweight	25	40
Waste Bags	7	10
Dustpan	1	1

SpillSmart

General Purpose Bag Kits

- Range of bag sizes to suit both vehicle and fixed applications
- Heavy duty PVC construction with carry handles



CONTENT ITEM	SINGLE USE YSGK15	30L BAG YSGK30	50L BAG YSGK50	80L BAG YSGK80
Floor Sweep	1 x 2.5kg	1 x 5kg	1 x 5kg	1 x 10kg
Socks	1 x 1.2m	1 x 1.2m	1 x 1.2m	2 x 1.2m
Pillows	-	-	1	1
Poly Pads - Heavyweight	2	5	10	15
Waste Bags	-	3	3	3
Dustpan	-	1	1	1

SpillSmart

Oil & Fuel (Hydrocarbon) Spill Kits

- Suitable for both oil and fuel spills on land and water
- Repels water and only absorbs hydrocarbon
- Includes premium SpillSmart bioactive absorbents for rapid and effective clean up

DO NOT USE FOR AGGRESSIVE LIQUIDS & CHEMICALS



- Ideal solution for workshops and general work areas
- Also ideal for oil and fuel spills on water
- All kits supplied with nitrile gloves & instruction sheet

SpillSmart

Oil & Fuel (Hydrocarbon) Bin Kits

- 120L or 240L red polyethylene bin options
- Heavy duty wheels
- Includes nitrile gloves, stickers & instructions



CONTENT ITEM	120L BIN YSHK120	240L BIN YSHK240
Floor Sweep	2 x 10kg	3 x 10kg
Socks	3 x 1.2m, 1 x 3m	3 x 1.2m, 1 x 3m
Pillows	1	1
Poly Pads - Heavyweight	25	40
Waste Bags	7	10

SpillSmart

Oil & Fuel Bag Kits

- Range of bag sizes to suit both water craft and marina applications
- Heavy duty PVC construction with carry handles



CONTENT ITEM	SINGLE USE YSHK15	30L BAG YSHK30	50L BAG YSHK50	80L BAG YSHK80
Socks	1 x 1.2m	1 x 1.2m	3 x 1.2m	4 x 1.2m
Pillows	-	-	1	1
Poly Pads - Heavyweight	10	20	25	40
Waste Bags	-	3	3	3

SpillSmart

HAZCHEM Spill Kits

- Suitable for spills of hazardous chemicals and aggressive liquids
- Flexible solutions for workplaces where chemicals are being transported, stored or used in daily processes



DO NOT USE FOR REMOVAL OF OIL FROM WATER

- Includes SpillSmart Hazsorb and HazChem absorbents for rapid and effective clean up
- All kits supplied with nitrile gloves and instruction sheet

SpillSmart

HazChem Bin Kits

- 120L or 240L blue polyethylene bin options
- Heavy duty wheels



CONTENT ITEM	120L BIN YSCK120	240L BIN YSCK240
HazSorb	2 x 30L	3 x 30L
Socks	3 x 1.2m	4 x 1.2m, 1 x 3m
Pillows	1	1
Poly Pads - Heavyweight	25	40
Waste Bags	7	10
Dust Pan	1	1

SpillSmart

HazChem Bag Kits

- Range of bag sizes to suit both vehicle and fixed applications
- Heavy duty PVC construction with carry handles



CONTENT ITEM	SINGLE USE YSCK15	30L BAG YSCK30	50L BAG YSCK50	80L BAG YSCK80
HazSorb	1 x 7.5L	1 x 7.5L	3 x 7.5L	1 x 30L
Socks	1 x 1.2m	1 x 1.2m	1 x 1.2m	2 x 1.2m
Pillows	-	-	1	1
Poly Pads - Heavyweight	2	15	15	20
Waste Bags	-	3	3	3
Dust Pan	-	1	1	1

SpillSmart

Oil & Fuel - Marine Spill Kits

- Designed for marine based applications
- Specifically for use on oil and fuel on water e.g. rivers, marinas and boating
- Includes marine quality booms and heavy duty pads



CONTENT ITEM	120L BIN YSMK120	240L BIN YSMK240
Booms	2 x 3m x 125mm	2 x 3m x 125mm
Socks	2 x 1.2m	5 x 1.2m
Pillows	1	1
Poly Pads - Heavyweight	40	100
Waste Bags	7	10



ALL KITS ALSO AVAILABLE IN AUSSPILL SPILL KIT BIN COLOURS

SpillSmart

Drain Warden

- Designed for use in industrial facilities, construction sites and parking lots
- Contains an oil absorbent pillow that removes oils and greases from water flow as it passes through the drain filter
- Collects rubbish and other solids



CODE	DESCRIPTION	UOM
YSDF900	SpillSmart Drain Warden - 900 x 900mm, 450mm Basin	Ea
YSDF1200	SpillSmart Drain Warden - 1200 x 1200mm, 600mm Basin	Ea

SpillSmart

Absorbent Socks, Pads, Pillows & Rolls



GENERAL PURPOSE

CODE	DESCRIPTION	SIZE	UOM
YSGP4843P	SpillSmart Pad Poly - Heavyweight	48cm x 43cm	Bale/100
YSGP4545P	SpillSmart Pillow Poly	45cm x 45cm	Each
YSGR9644P	SpillSmart Roll Poly	96.5cm x 44m	Roll
YSGS7512P	SpillSmart Sock Poly	75mm x 1.2m	Each
YSGS7530U	SpillSmart Sock Poly	75mm x 3.0m	Each

OIL & FUEL ONLY

CODE	DESCRIPTION	SIZE	UOM
YSHP4843P	SpillSmart Pad Poly - Heavyweight	48cm x 43cm	Bale/100
YSHP4843PL	SpillSmart Pad Poly - Lightweight	48cm x 43cm	Bale/200
YSHP4545P	SpillSmart Pillow Poly	45cm x 45cm	Each
YSHR7644P	SpillSmart Roll Poly	96.5cm x 44m	Roll
YSHS7512P	SpillSmart Sock Poly	75mm x 1.2m	Each
YSHS7530P	SpillSmart Sock Poly	75mm x 3.0m	Each


HAZCHEM

CODE	DESCRIPTION	SIZE	UOM
YSCP4843P	SpillSmart Pad Poly - Heavyweight	48cm x 43cm	Bale/100
YSCP4545P	SpillSmart Pillow Poly	45cm x 45cm	Each
YSCR9644P	SpillSmart Roll Poly	96.5cm x 44m	Roll
YSCS7512P	SpillSmart Sock Poly	75mm x 1.2m	Each
YSCS7530P	SpillSmart Sock Poly	75mm x 3.0m	Each

SpillSmart

Aluminium Floor Bunding

- Robust permanent bund for liquid containment in high traffic areas
- Non-sparking, non magnetic marine grade ideal for use around flammable liquids and vapours
- Durable, low maintenance and easy to install
- AS 1940:2017 compliant
- Smooth Transition Technology for ease of use



CODE	DESCRIPTION	UOM
YSAFB	SpillSmart Aluminium Floor Bund - 1200mm(L) x 200mm(W) x 30mm(H)	Ea

SpillSmart

Spill Bund

- Provides spill containment in applications where hydrocarbons or potentially hazardous chemicals/liquids are stored
- Flexible side walls allow for simple delivery of liquid storage drums
- Made from a strong, chemically resistant and UV-stable polymer coated fabric
- Lightweight and easy to clean
- Custom sizes available



CODE	DESCRIPTION	UOM
YSSB2424	SpillSmart Spill Bund - 2.4m x 2.4m	Ea
YSSB6060	SpillSmart Spill Bund - 6.0m x 3.0m	Ea

SpillSmart

Absorbents

All Purpose Absorbent

- Inert mineral based absorbent
- Safe for use on strong acid & alkaline solutions
- Suitable for petroleum, hydrocarbons, oils, solvents, sewage and protein-based fluids



Floor Sweep Absorbent

- Manufactured from organic cellulose materials
- Quickly absorbs petroleum, oils, fuels, solvents, cooking oils, sewage and protein-based fluids
- Not to be used on strong acid & alkaline solutions



HazSorb Absorbent

- Inert, non toxic vermiculite absorbent
- Effective for hazardous chemical spills
- Can be used for body fluid spills and typical hydrocarbon spills on land




Road Spill Absorbent

- Manufactured from organic cellulose materials
- Absorbs petroleum, oils, fuels, solvents, cooking oils, sewage and protein-based fluids
- Leaves paved surfaces dry significantly reducing the potential of slips
- Not to be used on strong acid & alkaline solutions



CODE	DESCRIPTION	UOM
YSAAP22	SpillSmart AllPurpose Absorbent - 22L	Ea
YSAFS10	SpillSmart Floor Sweep Absorbent - 10kg	Ea
YSAHZ10	SpillSmart HazSorb Absorbent - 30L	Ea
YSARS12	SpillSmart Road Spill Absorbent - 12kg	Ea

SpillSmart



Collapsible Bund

- SpillSmart lightweight collapsible bunding provides temporary storage of hazardous chemicals and liquids where vehicle access is required
- Walls easily collapse and re-erect
- Easy to transport, store and clean
- Wide range of standard sizes available

CODE	DESCRIPTION	UOM
YSCB2424	SpillSmart Collapsible Bund - 2.4m x 2.4m	Ea
YSCB3434	SpillSmart Collapsible Bund - 3.4m x 3.4m	Ea

**Bunding available in custom sizes
Call for pricing**



Hazmat Spill Control Pallets

- Seamless construction eliminates leaks
- Wide forklift pockets
- Self-locating grates
- 100% recycled polyethylene
- Impervious to most chemicals, acids and corrosives
- EPA Compliant



YES28635



CODE	DESCRIPTION	UOM
YES28623	Hazmat Spill Pallet - 2 Drum In-line	Ea
YES28627	Hazmat Spill Pallet - 3 Drum In-line	Ea
YES28635	Hazmat Spill Pallet - 4 Drum Square	Ea



Hazmat Accumulation Centre



Image shows 3 x 2-drum unit with ramp

- Sturdy self-locating grates
- Companion ramp facilitates loading
- Low profile seamless construction in 100% recycled polyethylene
- 4, 6 & 8 drum modules and Sump to Sump Drain Kit also available
- Requires joining clips if used in combination format

CODE	DESCRIPTION	UOM
YES28655	Hazmat Accumulation Centre - 2 Drum	Ea
YES28687	Hazmat Accumulation Centre Ramp	Ea
YES28927	Sump to Sump Drain Kit	Ea



Outdoor Sheds

- Reliable and secure outdoor storage for intermediate bulk containers
- Lockable roll-top door
- Robust design, made from 40% recycled polyethylene
- Can be used with IBC pallet bund, 4 drum option available
- Optional pallet ramp available



YES28677



YES28675



CODE	DESCRIPTION	UOM
YES28675	Ecopolyblend Drum Shed - 2 Drum	Ea
YES28676	Ecopolyblend Drum Shed - 4 Drum	Ea
YES28677	Ecopolyblend IBC Shed	Ea



Dispensing & Storage Safety Cans

- Heavy duty, high grade coated, lead free steel construction
- Positive pressure relief venting
- Flash arrester eliminates flashback risk



BD7150100

CODE	DESCRIPTION	UOM
BD7250130	19L Dispensing Can	Ea
BD7150140	19L Shelf Dispensing Can	Ea
BD7120100	7.6L Storage Can	Ea
BD7150100	19L Storage Can	Ea

BD7250130



IBC Pallet Bund

- Made of 40% recycled polyethylene
- EPA compliant for 1000 and 1250 litre IBC's
- Sturdy pillar supports - chemical and corrosion resistant
- Dimensions:
W: 1397mm
D: 1397mm
H: 952mm



CODE	DESCRIPTION	UOM
YES28674	IBC Pallet Bund Indoor 1408L	Ea



Weatherproof Outdoor Flammable Liquid Cabinets

- Yellow powder coated steel construction
- Stainless steel hinges
- Forklift channels help keep the cabinet dry at ground level
- Sloping roof to front with weatherproof guttering
- Compliance with AS 1940:2017 for the storage of flammable and combustible liquids



BC25602WP



BC25452WP




BC25302WP

CODE	DESCRIPTION	UOM
BC25302WP	Outdoor Flammable Storage Cabinet 1230mm(H) x 1100mm(W) x 465mm(D) - 160L	Ea
BC25452WP	Outdoor Flammable Storage Cabinet 1760mm(H) x 1100mm(W) x 465mm(D) - 250L	Ea
BC25602WP	Outdoor Flammable Storage Cabinet 1760mm(H) x 870mm(W) x 870mm(D) - 350L	Ea



Manifest Cabinet

- Document storage cabinet
- Dimensions: 500mm (H) x 400mm (W) x 130mm (D)
- Document storage for HAZMAT, SDS and emergency information



CODE	DESCRIPTION	UOM
BC25001	Manifest Cabinet	Ea

JUSTRITE®

Flammable Liquid Storage Cabinets

- Fire tested, FM Approved, exceeds AS 1940:2017
- Fully welded construction, 1.2mm steel
- Double wall - 40mm thermal barrier
- Self-closing and latching doors
- High gloss powder coated
- Dual vents c/w built-in flash arresters




CODE	DESCRIPTION	UOM
BC25748	100L Flammable Liquid Storage Cabinet	Ea
BC25302	160L Flammable Liquid Storage Cabinet	Ea
BC25452	250L Flammable Liquid Storage Cabinet	Ea

JUSTRITE®

Corrosive Substance Storage Cabinets

- Fire tested, FM Approved, exceeds AS 3780:2023
- Polyethylene trays for corrosive resistancy
- Fully welded construction, 1.2mm steel
- Double wall - 40mm thermal barrier
- Self-closing and latching doors
- Dual vents c/w built-in flash arresters



CODE	DESCRIPTION	UOM
BC25748B	100L Corrosive Substance Storage Cabinet	Ea
BC25302B	160L Corrosive Substance Storage Cabinet	Ea
BC25452B	250L Corrosive Substance Storage Cabinet	Ea

JUSTRITE®

Class 6 Toxic Substance Storage Cabinets

- Conforms to AS 4452-1997
- Exclusive 'spillslope' shelves direct spills to back and bottom of the cabinet
- Patented concealed self-closing mechanism provides obstruction-free access to the top shelf
- 150mm sump contains spills or leaks within the cabinet



CODE	DESCRIPTION	UOM
BC25748T	100L Toxic Substance Storage Cabinet	Ea
BC25302T	160L Toxic Substance Storage Cabinet	Ea
BC25452T	250L Toxic Substance Storage Cabinet	Ea

JUSTRITE®

Pesticide/Herbicide Storage Cabinets

- Conforms to AS 4452-1997
- 'Suregrip' handle is lockable and allows for fitting of a padlock as extra security
- Shelves are adjustable at 76mm increments
- Doors are self-closing and feature a 3-point latching system



CODE	DESCRIPTION	UOM
BC25748P	100L Pesticide Storage Cabinet	Ea
BC25302P	160L Pesticide Storage Cabinet	Ea
BC25452P	250L Pesticide Storage Cabinet	Ea



Class 3 Flammable Liquid Storage Cabinets

- Suitable for flammable liquids including paints, solvents, petrol, thinners, kerosene, turpentine, white spirits, alcohol and ethanol
- Also suitable for combustible liquids including diesel, linseed oil and pine oil
- Double steel walls
- Single, self-closing, self-latching doors
- Roller set shelves
- Complies with Australian Standard AS 1940:2017
- Other capacities, double door configurations and accessories also available



BC5560ASE

CODE	DESCRIPTION	UOM
BC5560ASE	Metal Flammable Liquid 350L 1 Door/3 Shelf	Ea
BC5545AS	Metal Flammable Liquid 250L 2 Door/3 Shelf	Ea



Aerosol Storage Cage

- Powder coated steel construction, suitable for outdoors
- Steel roof and floor with welded steel mesh sides within a steel frame
- Magnetic door catches with eye lug for padlock
- Flat pack or assembled options - includes appropriate safety signs



MLG164A

CODE	DESCRIPTION	CAN CAPACITY	H	W	D
MLGC1AFP	Flat Pack 1 Level	42	360	560	490
MLGC2AFP	Flat Pack 2 Levels	84	660	560	490
MLGC4AFP	Flat Pack 2 Levels	200	990	780	760
MLGC8AFP	Flat Pack 4 Levels	400	1920	780	760
MLGC16AFP	Flat Pack 8 Levels	800	1920	1520	760
MLGC4A	Assembled 2 Levels	200	990	780	760
MLGC8A	Assembled 4 Levels	400	1920	780	760
MLGC16A	Assembled 4 Levels	800	1920	1520	760



Gas Cylinder Storage Cage

- Powder coated steel construction, suitable for outdoors
- Steel roof and floor with welded steel mesh sides within a steel frame
- Magnetic door catches with eye lug for padlock
- Cylinder restraining chain
- Flat pack or assembled options - includes appropriate safety signs



MLGC9V

CODE	DESCRIPTION	CYLINDER CAPACITY	H	W	D
MLGC9VFP	Flat Pack 1 Level	9 (G)	1920	780	760
MLGC18VFP	Flat Pack 2 Levels	18 (G)	1920	1520	760
MLGC9V	Assembled 1 Level	9 (G)	1920	780	760
MLGC18V	Assembled 2 Levels	18 (G)	1920	1520	760



Class 8 Corrosive Substance Storage Cabinets - Poly

- Suitable for most corrosive substances including aggressive acids such as sulphuric acid, hydrochloric acid, nitric acid and many others
- Material of construction: polypropylene - check compatibility of chemicals (must be in sealed and closed containers)
- Doors: single or double, self-closing and self-latching
- Complies with Australian standard AS 3780:2023



BC5512PSPH

CODE	DESCRIPTION	UOM
BC5512PSPH	Poly Corrosive 20L 1 Door/1 Shelf	Ea
BC5535PSPH	Poly Corrosive 100L 2 Door/1 Shelf	Ea
BC5516PSPH	Poly Corrosive 40L 1 Door/1 Shelf	Ea
BC5540PSPH	Poly Corrosive 110L 2 Door/2 Shelf	Ea
BC5517PSPH	Poly Corrosive 80L 1 Door/2 Shelf	Ea
BC5530PSPH	Poly Corrosive 160L 2 Door/4 Shelf	Ea
BC5545PSPH	Poly Corrosive 240L 2 Door/6 Shelf	Ea



Forklift Cylinder Storage Cage

- Powder coated steel construction, suitable for outdoors
- Steel roof and floor with welded steel mesh sides within a steel frame
- Magnetic door catches with eye lug for padlock
- Cylinder restraining chain
- Flat pack or assembled options - includes appropriate safety signs



MLGC4F

CODE	DESCRIPTION	CYLINDER CAPACITY	H	W	D
MLGC4FFP	Flat Pack 1 Level	4	990	780	760
MLGC8FFP	Flat Pack 2 Levels	8	1920	780	760
MLGC16FFP	Flat Pack 4 Levels	16	1920	1520	760
MLGC4F	Assembled 1 Level	4	990	780	760
MLGC8F	Assembled 2 Levels	8	1920	780	760
MLGC16F	Assembled 4 Levels	16	1920	1520	760



Forklift & Gas Cylinder Storage Cage

- Powder coated steel construction, suitable for outdoors
- Steel roof and floor with welded steel mesh sides within a steel frame
- Magnetic door catches with eye lug for padlock
- Cylinder restraining chain
- Forklift cylinder storage cages include shelf to provide storage on two levels
- Flat pack or assembled options - includes appropriate safety signs



MLGC8F9V

CODE	DESCRIPTION	CYLINDER CAPACITY	H	W	D
MLGC8F9VFP	Flat Pack 3 Levels	8 (F) 9 (G)	1920	1520	760
MLGC8F9V	Assembled 3 Levels	8 (F) 9 (G)	1920	1520	760

JUSTRITE® Cylinder Storage Lockers

- Weather resistant all welded aluminium security lockers
- Durable and secure vertical storage for LPG and compressed gas cylinders
- Fully assembled - modular options to choose from
- Supplied with flammable gas or oxygen & inert gas signage as required
- Manufactured to comply with AS 4332-2004



ML23006

CODE	DESCRIPTION	UOM
ML23006	Up to 9 G Size Cylinders 760W x 1800H x 815D mm	Ea
ML23007	Up to 18 G Size Cylinders 1510W x 1800H x 815D mm	Ea
ML23009	1 - 4 Cylinders Vertical 760W x 960H x 815D mm	Ea
ML23014	Up to 3 G Size Cylinders 760W x 1800H x 415D mm	Ea

BRADY®

Pipe Markers & Identification

- Self sticking vinyl adhesive markers for easy installation
- Premium indoor/outdoor grade vinyl
- Weather resistant inks provide 5-8 year performance
- Colour code compliant with AS 1345-1995



MORE STYLES AVAILABLE INCLUDING CUSTOMISATION

TYPE	COLOUR CODE	SIZES
Alkalis / Acids	White On Violet	Marker sizes to suit pipe diameter
Air	White On Light Blue	
Fire Protection	White On Red	
Oils	White On Brown	
Electrical	White On Orange	
Medical Gases	Individual Colours For Specific Gases	
Gases	Black On Sand	
Miscellaneous	White On Black	

BRADY®

HAZCHEM Signage

- Dangerous goods vinyl adhesive diamonds - 250mm
- HAZCHEM metal warning and emergency information signs



SSV835494



SSV835481 SSV835484 SSV835482
SSV835496 SSV835483 SSV837007
SSV835490 SSV835493 SSV835488

JUSTRITE® Document Storage Boxes

- Weather resistant - keeps documents clean and dry
- High density polyethylene construction
- Heavy duty duct tape for drill-free mounting
- High visibility red colour with designated area for labelling



CODE	DESCRIPTION	INTERNAL DIMENSIONS	UOM
MS23303	Medium Top Opening Box	292 x 222 x 41mm	Ea
MS23304	Medium Front Opening Box	311 x 219 x 25mm	Ea
MS23305	Twist Top Opening Tube	305 x 76mm	Ea
MS23306	Large Front Opening Box	337 x 263 x 57mm	Ea

BOTTLECHOCK™




By VISIONSafe

BOTTLECHOCK Cylinder Restraints

- Purpose designed to keep cylinders secure
- Suits gas cylinders, oxygen tanks, fire extinguishers, oil drums, etc.
- Restricts both horizontal and vertical movement
- Easy fit kit comes ready to install with galvanised steel mounting bracket
- Quick release pins free up space when cylinder is not in use, and allow use in another location
- Sizes: Small (100-145mm), Medium (160-230mm), Large (245-375mm)
- Also available in stainless steel
- Available with red or yellow chock



CODE	DESCRIPTION	COL.	UOM
MCRBG1L	Galvanised Restraint 245-375mm - 1 bottle	Red, Yellow	Ea
MCRBG1M	Galvanised Restraint 160-230mm - 1 bottle		Ea
MCRBG1S	Galvanised Restraint 100-145mm - 1 bottle		Ea
MCRBG2L	Galvanised Restraint 245-375mm - 2 bottles		Ea
MCRBG2M	Galvanised Restraint 160-230mm - 2 bottles		Ea
MCRBG2S	Galvanised Restraint 100-145mm - 2 bottles		Ea
MCRBG3M	Galvanised Restraint 160-230mm - 3 bottles		Ea
MCRBG3S	Galvanised Restraint 100-145mm - 3 bottles		Ea
MCRBG4M	Galvanised Restraint 160-230mm - 4 bottles		Ea
MCRBG4S	Galvanised Restraint 100-145mm - 4 bottles		Red



(COMPOSITE CUSTOM WARNING)




SSM832040




SSM832041



SSM833620



TRANSPORT CUSTOM SIGN



STORAGE & HANDLING CUSTOM SIGN

MAXSafe

Lead Stands & Hooks

Can be used for electrical cables, air hoses and cords.

Poly Base Lead Stand

- Non-conductive fibreglass pole 1.2m - 2.4m (H)
- Plastic lead holder

Metal Base Lead Stand

- Metal base & pole 1.2m - 2.4m (H)
- Plastic lead holder

Standard Lead Hook

- Non-conductive & non-corrosive
- Plastic lead holder

Heavy Duty Lead Hook

- Non-conductive & non-corrosive
- Tested to 50kg SWL


CODE	DESCRIPTION	UOM
YELSPB	Lead Stand Poly Base	Ea
YELSMB	Lead Stand Metal Base	Ea
YELHS	Lead Hook Standard	Ea
YELHHD	Lead Hook Heavy Duty	Ea



LeadQuip™

Lead Safety Stand

- Elevates leads and hoses up to 4m
- Non-conductive lead hooks
- Ground spike for outdoor use
- Comes in carry bag
- Fits in 1.2m tool box/site box





CODE	DESCRIPTION	UOM
YELSLQ	LeadQuip Lead Stand	Ea

BARRIERGROUP

Cable Protectors

- Provides safe passage for pedestrians and/or light vehicles
- Protects valuable cables and hoses
- Interlocking modules
- Robust construction in HI VIS safety yellow



NOT RECOMMENDED FOR FORKLIFT OR TRUCK TRAFFIC

CODE	DESCRIPTION	UOM
YELCP1BODY	Cable Protector Light Vehicle - 1 Channel 1.0m Length	Ea
YELCP2BODY	Cable Protector Light Vehicle - 2 Channel 1.0m Length	Ea
YELCP3BODY	Cable Protector Light Vehicle - 3 Channel 0.9m Length	Ea
YELCP5BODY	Cable Protector Light Vehicle - 5 Channel 0.9m Length	Ea

POWER SAFE PRODUCTS

RB8-6 Industrial 32A Power Board



- 6 outlet 'plug & play' distribution board
- IP66 rated
- 32A 3 phase inlet to 6 x 15A single phase outlets, individually RCD protected
- 1.8m earth screened lead

CODE	DESCRIPTION	UOM
YELIB8632A	Powerboard 32A	Ea

POWER SAFE PRODUCTS

Guardian Power Board



- 'Plug & play' temporary distribution board
- 4 way - 240V single phase
- IP66 rated
- Fitted earth screened lead

CODE	DESCRIPTION	UOM
YELPBHD10	Guardian Power Board 10A	Ea
YELPBHD15	Guardian Power Board 15A	Ea

POWER SAFE PRODUCTS

RB4 Small Industrial Single Phase Distribution Board



- 4 outlet 'plug & play' distribution board - IP66 rated
- Includes 1.8m earth screened braided lead with 10A 240V 3 pin plug IP66

CODE	DESCRIPTION	UOM
YELIB410	Powerboard 4 x 10A	Ea
YELIB415	Powerboard 4 x 15A	Ea

POWER SAFE PRODUCTS

415V 32A Three Phase Leads



- High flex H07 rubber insulated cable
- Fitted with 32A 5 pin (56) IP66 plug and socket
- AS/NZS 3112, 3120, 1391 & 3199

CODE	DESCRIPTION	UOM
YELRL103256	Three Phase Rubber Lead 32A - 10m	Ea
YELRL203256	Three Phase Rubber Lead 32A - 20m	Ea

POWER SAFE PRODUCTS

240V Single Phase Braided Leads



- Earth screened 10A or 15A leads
- Super flexible cable
- 240V single phase - IP66 rated
- AS/NZS 3112, 3120, 1391 & 3199

CODE	DESCRIPTION	UOM
YELBL1010	Single Phase Braided Lead 10A - 10m	Ea
YELBL2010	Single Phase Braided Lead 10A - 20m	Ea

POWER SAFE PRODUCTS

RCD Duo



- Inline earth fault protection for generators and inverters
- 240V - 10A or 15A

CODE	DESCRIPTION	UOM
YELRCDU010A	RCD DUO Inline 10A	Ea
YELRCDU015A	RCD DUO Inline 15A	Ea

fireworld

Vehicle Fire Extinguisher Brackets

- Heavy duty 'Cannon' style bracket with quick release mechanism
- Quick release mechanism
- Secure bracket for 4.5kg and 9.0kg extinguishers
- Black powder coated



CODE	DESCRIPTION	UOM
BFZVMB45	Vehicle Mounting Bracket Cannon Style - 4.5kg	Ea
BFZVMB90	Vehicle Mounting Bracket Cannon Style - 9.0kg	Ea

fireworld

Fire Hose Reels

- 36m hose reel length
- Simple operation and maintenance
- Meets requirements of AS 1221
- Heavy duty hose reel cover sold separately



BFZREELC



BFZREEL36

CODE	DESCRIPTION	UOM
BFZREEL36	Fire Hose Reel - 36m	Ea
BFZREELC	Fire Hose Reel Cover	Ea

fireworld

Fire Blankets

- Woven fibreglass material
- Suitable for smothering small flammable liquid fires, cooking oil and fat fires
- Can be used to shield the user whilst fighting fires



FIRE BLANKET

SDBLA

CODE	DESCRIPTION	UOM
BB1010	Fire Blanket 1.0m x 1.0m	Ea
BB1212	Fire Blanket 1.2m x 1.2m	Ea
BB1218	Fire Blanket 1.2m x 1.8m	Ea
BB1818	Fire Blanket 1.8m x 1.8m	Ea
SDBLA	Sign 'FIRE BLANKET' Poly 145mm x 220mm	Ea

BRADY

Fire Safety Signage

FIRE EXIT

SSV840976

FIRE ESCAPE →

SSV833463

← FIRE ESCAPE

SSV833462



SSP843018
SSM843019



SSP841060
SSM834067



SSP841094
SSM841095

CODE	DESCRIPTION	UOM
SSV...	Fire Safety Signs - Vinyl Self Adhesive 300mm x 125mm	Ea
SSP...	Fire Safety Signs - Poly 450mm x 600mm	Ea
SSM...	Fire Safety Signs - Metal 450mm x 600mm	Ea

fireworld

Mobile Fire Extinguisher Trolley

- Makes it easy to move large capacity fire extinguisher to where it's needed
- Available with extinguisher capacities of 50kg or 100kg, in ABE (Dry Chemical) or AFFF (Foam)
- Overall height 50kg: 1100mm
- Overall height 100kg: 1250mm
- Extinguisher performance range: 3-5m



CODE	DESCRIPTION	UOM
BFMABE50	Mobile ABE 50kg	Ea
BFMAFF50	Mobile AFFF 50kg	Ea
BFMABE100	Mobile ABE 100kg	Ea
BFMAFF100	Mobile AFFF 100kg	Ea

fireworld

Fire Extinguisher Cabinets

- Red powder coated steel cabinet
- Includes 003 'lock & key' in break glass
- Secure, highly visible storage for 4.5kg and 9.0kg extinguishers
- Dimensions: 4.5kg - 590mm(H) x 280mm(W) x 210mm(D)
- Dimensions: 9.0kg - 760mm(H) x 280mm(W) x 230mm(D)



CODE	DESCRIPTION	UOM
BFZCAB45	Extinguisher Cabinet - 4.5kg	Ea
BFZCAB90	Extinguisher Cabinet - 9.0kg	Ea

JUSTRITE®

Cease-Fire® Cigarette Butt Receptacle

- Low maintenance, high density polyethylene construction
- 40mm opening permits easy use and promotes good housekeeping
- 9L galvanised steel liner bucket
- 1200mm high with 420mm base



CODE	COLOURS	UOM
BD26800	Grey, Beige, Black, Green, Terracotta	Ea



Fire Warden/Evacuation Kit

- Bag - screen printed FIRE WARDEN
- Megaphone with siren
- Cotton Day/Night safety vest (yellow)
- 3M Fire Warden hard hat
- Intrinsically safe torch
- 8x C batteries for the megaphone, 2x AA for the torch



CODE	DESCRIPTION	UOM
MBEVK2020FW	SafetyQuip Fire Warden/Evacuation Kit	Ea

Fireworld

ABE Dry Chemical Fire Extinguisher

- Suitable for Class A, B & E fires
- Dry chemical powder
- Effective against fire involving ordinary and flammable combustibles, liquids & energised electrical equipment



CODE	DESCRIPTION	UOM
BFABE10	Extinguisher Dry Chemical 1.0kg - ABE	Ea
BFABE20	Extinguisher Dry Chemical 2.0kg - ABE	Ea
BFABE45	Extinguisher Dry Chemical 4.5kg - ABE	Ea
BFABE90	Extinguisher Dry Chemical 9.0kg - ABE	Ea
SDEXT:ABE	Fire Extinguisher Indication Sign - 'ABE'	Ea

Fireworld

BE Dry Chemical Fire Extinguisher

- Suitable for Class B, E & F fires
- Dry chemical powder
- Effective against fire involving flammable combustible liquids and energised electrical equipment



CODE	DESCRIPTION	UOM
BFBE10	Extinguisher Dry Chemical 1.0kg - BE	Ea
BFBE23	Extinguisher Dry Chemical 2.3kg - BE	Ea
BFBE45	Extinguisher Dry Chemical 4.5kg - BE	Ea
BFBE90	Extinguisher Dry Chemical 9.0kg - BE	Ea
SDEXT:BE	Fire Extinguisher Indication Sign - 'BE'	Ea

Fireworld

BE Carbon Dioxide Fire Extinguisher

- Suitable for Class B & E fires
- Effective against fire involving flammable combustible liquids and energised electrical equipment
- Ideal for use around computers etc.



CODE	DESCRIPTION	UOM
BFCO20	Extinguisher CO2 2.0kg - BE	Ea
BFCO35	Extinguisher CO2 3.5kg - BE	Ea
BFCO50	Extinguisher CO2 5.0kg - BE	Ea
SDEXT:CO2	Fire Extinguisher Indication Sign - 'CO2'	Ea

Fireworld

Air/Water and Air/Foam Fire Extinguishers

- Air/Water is suitable for Class A fires only (wood, paper, plastics)
- Air/Foam is suitable for Class A & B fires only (wood, paper, plastics and flammable/ combustible liquids)



CODE	DESCRIPTION	UOM
BFAW90	Extinguisher Air/Water 9.1L - A	Ea
SDEXT:AW	Fire Extinguisher Indication Sign - 'AW'	Ea
BFF390	Fire Extinguisher F3 Fluorine-Free Foam 9.0 Litre - AB	Ea
SDEXT:AF	Fire Extinguisher Indication Sign - 'AF'	Ea

Fireworld Fire Extinguisher Selection Table

FIRE CLASSES		A	B	C	E	F	SPECIAL NOTES
		PAPER, WOOD, PLASTICS	FLAMMABLE LIQUIDS	FLAMMABLE GASES	ENERGISED ELECTRICAL EQUIPMENT	COOKING OILS AND FATS	
	WATER	YES	NO	NO	NO	NO	Dangerous if used on flammable liquid, energised electrical equipment and cooking oils and fats.
	FOAM AFF	YES	YES	NO	NO	LIMITED	Dangerous if used on energised electrical equipment.
	WET CHEMICAL	YES	NO	NO	NO	YES	Dangerous if used on energised electrical equipment.
	DRY CHEMICAL AB(E)	YES	YES	YES	YES	NO	Look carefully to determine if it is a B(E) or AB(E) unit as their capabilities are different.
	DRY CHEMICAL B(E)	NO	YES	YES	YES	YES	Look carefully to determine if it is a B(E) or AB(E) unit as their capabilities are different.
	CARBON DIOXIDE	NO	LIMITED	NO	YES	LIMITED	Not suitable for outdoor use.

“LIMITED” indicates that the fire extinguisher is not the first choice for that type of fire, it will have limiting fire extinguishing capability. Class D fires (involving combustible metals): use only special purpose extinguishers and seek expert advice.

SPEAKMAN

Eyesaver® Eye Wash Units

- Rectangular stainless steel bowl
- Soft dual streams of aerated water
- Push hand flag for instant operation
- Australian manufactured to AS 4775-2007



YSE505



YSE546



CODE	DESCRIPTION	UOM
YSE505	Eye Wash Wall Mounted	Ea
YSE546	Pedestal Mounted Eye Wash Unit	Ea

SPEAKMAN

Eyesaver® Eye/Face Wash Units

- Rectangular stainless steel bowl
- Fast cleansing, low velocity first aid curtain of aerated water
- Washes eye and facial areas
- Push hand flag for instant operation
- Australian manufactured to AS 4775-2007



YSE400



YSE480



CODE	DESCRIPTION	UOM
YSE400	Eye/Face Wash Wall Mounted	Ea
YSE480	Pedestal Mounted Eye/Face Wash Unit	Ea

SPEAKMAN

Lifesaver® Wall Mounted Deluge Shower

- Pull down stainless steel triangular ring with stay-open valve
- Self-cleaning, non-clogging shower head
- Impeller action distributes floods of water without voids in the shower pattern
- Australian manufactured to AS 4775-2007



CODE	DESCRIPTION	UOM
YSE227	Wall Mounted Deluge Shower	Ea
YSE220	Ceiling Mounted Deluge Shower	Ea

SPEAKMAN

Portable Eye Wash Unit

- Gravity fed - no pressurisation necessary
- Portable for use in remote or temporary work environments
- 34 litre capacity provides 15 minutes of water flow



CODE	DESCRIPTION	UOM
YSE4400	Portable Eye Wash Unit - 34 Litres	Ea

SPEAKMAN

Portable Eye Wash Unit

- Gravity fed - no pressurisation necessary
- Portable for use in remote or temporary work environments
- 79 litre capacity provides 15 minutes of water flow



CODE	DESCRIPTION	UOM
YSE4000	Portable Eye Wash Unit - 79 Litres	Ea

SPEAKMAN

Free Standing Eye or Eye/Face Wash & Combination Shower Stations

- Pedestal style freestanding eye/face wash units
- Combination deluge showers with stainless steel eye or eye/face wash units
- Available in hand and/or foot operation mode

Scald Protection Valve

- The HAT/SP opens only when the water exceeds safe limits (35°C)
- Australian manufactured to AS 4775-2007



YSEZ105 SCALD VALVE

CODE	DESCRIPTION	UOM
YSE616	Shower & Eye Wash Station	Ea
YSE607	Shower & Eye/Face Wash Station	Ea
YSEZ105	Scald Valve 40°C Fully Open - 35°C Closed	Ea




YSE616

YSE607



Combination Shower Eye & Face Wash With Bowl & Foot Treadle

- Versatile decontamination system designed to operate as an individual shower or face wash or both simultaneously
- Constructed mainly from 304 stainless steel material to provide a long service life in most environments
- AEROSTREAM technology delivers a gentle cascade of soft flow water to flush away any hazardous materials from the eyes and face
- Complies with Australian Standard AS 4775-2007
- Range of accessories available to provide correct operational temperature, illumination and identification



YSCSE607



SSPEESAE4530P



YSE600TCF

CODE	DESCRIPTION	UOM
YSCSE607	Shower Combination - Eye & Face Wash Nozzle	Ea
YSE850	Shower Head with Impeller Stainless Steel	Ea
YSEASV	Shower Valve Anti Scald 95°F/35°C Rated	Ea
YSE600TCF	Shower Thermal Insulation Foil Roll	Ea
YPSGL2	Shower Light Kit Weather Resistant Green Fluoro	Ea
SSPEESAE4530P	Safety Sign Poly 'Emergency Shower & Eye Wash' 450 x 300mm	Ea
SSPPSSMB1	Safety Sign Bracket Stanchion Mounting	Ea



Free Standing Combination Shower/ Eye/ Face Wash Stations

- Combination shower and eye or eye/face wash for general applications
- Hand or hand & foot operated option
- AEROSTREAM technology delivers a gentle cascade of soft flow water to flush away any hazardous materials from the eyes and face
- Key structural components available in 304 and 316 stainless steel
- Complies with Australian Standard AS 4775-2007
- Units stand 2450mm in height
- Flip Top Lid option
- Other combinations available



YSEP675

YSEP693



FLIP TOP LID

CODE	DESCRIPTION	UOM
YSEP693	Shower/ Eye Wash Unit, Single Nozzle, Hand & Foot Operated	Ea
YSEP693FTL	Shower/ Eye Wash Unit, Single Nozzle, Hand & Foot Operated, Flip Top Lid	Ea
YSEP675	Shower/ Eye Wash Unit, Single Nozzle, Hand Operated	Ea



Wall Mounted Eye & Face Wash Units

- Dual design aerated eye/face wash for general applications
- 304 stainless steel construction
- With or without bowl option
- Nozzles with dust covers
- Complies with Australian Standard AS 4775-2007



YSEP505

YSEP575

CODE	DESCRIPTION	UOM
YSEP505	Eye Wash Unit, Single Nozzle, Hand Operated	Ea
YSEP575	Eye Wash Unit, Single Nozzle, Hand Operated, No Bowl	Ea



Portable Gravity Fed Eye Wash Unit - 55L

- Compact portable, gravity fed eye wash unit that provides a minimum of 15 minutes continuous water flow
- Pull down the eye wash tray to activate the water flow
- The spray nozzles are protected from dust, grime and damage when the tray is in the closed position
- Made from UV stabilised high density polyethylene (HDPE) with a yellow fold down tray for easy identification
- Complies with AS 4775-2007 and ANSI Z358.1:2014



YSEP25050TC

CODE	DESCRIPTION	UOM
YSEP5000	Portable Eye Wash Unit - 35L	Ea
YSEP5050	Portable Eye Wash Unit - 55L	Ea
YSEP25050TC	Thermal Cover for YSEP5050	Ea
YSZ4764	Water Preservative - 250ml	Pk/4

BRADY

Safety Plus Padlock Pack

- Pre-packaged set of 3 keyed-alike Safety Plus padlocks
- 6mm shackle



CODE	DESCRIPTION	UOM
SLP853205	Padlock Pack - Red	Pk/3
SLP853206	Padlock Pack - Yellow	Pk/3
SLP853207	Padlock Pack - Blue	Pk/3
SLP853208	Padlock Pack - Green	Pk/3

BRADY

Compact Lockout Padlocks

- Designed specifically for use in electrical lockout applications
- Small size and shackle diameter for use on smaller lockout devices
- Non-conductive, spark resistant body



CODE	DESCRIPTION	UOM
SLP872880	Compact Padlock - Red	Ea
SLP872881	Compact Padlock - Yellow	Ea
SLP872875	Compact Padlock - Blue	Ea
SLP872877	Compact Padlock - Green	Ea

BRADY

Adjustable Gate Valve Lockout

- Durable polypropylene construction
- Fits multiple size gates
- Completely encloses handle to prevent tampering



CODE	DESCRIPTION	UOM
SLD64057	Adjustable Gate Valve Lockout - Red	Ea
SLD850835	Adjustable Gate Valve Lockout - Yellow	Ea

BRADY

Labelled Lockout Hasp

- Anodised aluminium alloy
- Combination lockout tag and safety lockout hasp
- Up to five additional locks can be affixed
- Surface accepts pens, pencils and markers



CODE	DESCRIPTION	UOM
SLH65960	Labelled Lockout Hasp	Pk/5
SLH65960/1	Labelled Lockout Hasp	Ea

BRADY

Group Lock Box

- Simplifies lockout for large plant and equipment
- Accepts up to 13 individual locks
- Heavy steel construction, available in red or blue



CODE	DESCRIPTION	UOM
SLB65699	Group Lock Box - Red	Ea
SLB45190	Group Lock Box - Blue	Ea

BRADY

Safety Plus Padlocks

- Compact and ultra lightweight
- Corrosion and chemical resistant
- Non-conductive body enhances safety in electrical applications
- Available in 6 colours
- Comes with two keys and danger label
- 6mm shackle



TOP SELLERS



CODE	DESCRIPTION	UOM
SLP850816	Safety Plus Padlock - Blue - Keyed Differently	Ea
SLP850817	Safety Plus Padlock - Black - Keyed Differently	Ea
SLP850818	Safety Plus Padlock - Green - Keyed Differently	Ea
SLP850819	Safety Plus Padlock - Orange - Keyed Differently	Ea
SLP850820	Safety Plus Padlock - Yellow - Keyed Differently	Ea
SLP850821	Safety Plus Padlock - Red - Keyed Differently	Ea

BRADY

Safety Lockout Hasps

- Vinyl coated high tensile steel
- Plated to resist rust
- Accept 6 padlocks up to 9mm shackle diameter




CODE	DESCRIPTION	UOM
SLH65375/1	25mm Diameter Jaws	Ea
SLH65376/1	38mm Diameter Jaws	Ea

BRADY

Lockout Tags

- Weather resistant polypropylene
- 100mm x 150mm
- 6mm diameter hole



CODE	DESCRIPTION	UOM
STG842384	Tag 'CAUTION DO NOT START'	Pk/10
STG842377	Tag 'DANGER DO NOT OPERATE'	Pk/10
STG842386	Tag 'CAUTION OUT OF ORDER'	Pk/10

BRADY

Wallmount Group Lockout Box

- Efficient method for lockout of machinery with multiple lockout points
- Keeps padlocks clean, organised and ready for use
- Easy access, highly visible




CODE	DESCRIPTION	UOM
SLB854243	Group Lock Box - 7 Hole	Ea
SLB854244	Group Lock Box - 12 Hole	Ea



All-Purpose Cable Lockout

- Help you navigate tight or tricky spaces to lockout several energy isolation points at once as well as difficult-to-secure valves & panels
- Superior chemical, corrosion and temperature resistance
- Lockout holes for up to 4 padlocks
- Bottom lockout hole can accommodate a lockout hasp



CODE	DESCRIPTION	UOM
SLC50941	All Purpose Cable Lockout Device 2.4m Nylon Cable	Ea
SLC880948	All Purpose Cable Lockout Device 2.4m Steel Cable	Ea



Electrician's Mini Lockout Pouch

- Includes a combination of lockout devices for older style breakers and newer DINN style breakers
- Available with Safety Plus Padlock or Compact Padlock
- Includes lockout 'Danger' poly tags



CODE	DESCRIPTION	UOM
SLK848284	Electrician's Mini Lockout Pouch c/w Safety Plus Lock	Ea
SLK873848	Electrician's Mini Lockout Pouch c/w Compact Lock	Ea



Padlock Control Centre

- Durable padlock control centre to store and manage site padlock system
- Wall mountable steel cabinets
- Supplied with two keys
- Two sizes available, holding either 16 or 32 padlocks



CODE	DESCRIPTION	UOM
SLS851198	Padlock Control Centre Small	Ea
SLS851199	Padlock Control Centre Large	Ea



10 Lock Lockout Board

- Includes:
 - 10x Red KD safety padlocks (38mm shackle)
 - 2x hasps 25mm
 - 2x hasps 38mm
 - 12x lockout tags
- Storage board made from 4.7mm yellow acrylic
- Dimensions: 343mm x 343mm



CODE	DESCRIPTION	UOM
SLS51187	10 Lock Board	Ea



M210 Label Printer

- Create and print tough thermal transfer labels anywhere
- Simple and intuitive keypad
- Get fast and accurate labels on-site using auto-formatting with 11 pre-loaded application design guides
- Design custom labels for any application, including text and UPC, Data Matrix and QR Codes
- Take on the toughest labeling jobs: military-grade shock and vibration resistance
- Seamlessly transition from old to new cartridges in a snap
- Choose from 90 compatible, easy-to-load cartridges made from 12 material types
- Conveniently store up to 12 label files up to 2MB



CODE	DESCRIPTION	UOM
SA152260	M210 Label Printer	Ea



BMP™ 71 Label Printer


- Create on-demand labels for multiple applications from one printer
- Large full colour graphical screen allows you to preview your label before printing
- Can print on more than 30 different types of label materials
- Customise labels up to 50mm high
- Rechargeable battery and AC power adaptor included
- Supplied with hardcase, 1 roll of die cut labels, 1 ribbon cartridge, USB cable, Quickstart Guide and printer driver CD



Use with:

Durasleeve® Wiremarking (B-390)

- Long lasting and durable marking of wires and cables
- Consists of two parts: the marker insert (that is printed upon) and the vinyl carrier which the marker is inserted into
- Available in white or yellow, 15mm or 30mm length



(Other tape options available - please contact your nearest SafetyQuip store for further details)

CODE	DESCRIPTION	UOM
SA115158	BMP™ 71 Printer c/w BWS PWID Suite Software	Ea
SA872044	BMP™ 71 Printer c/w BWS SFID Suite Software	Ea

BAILEY

Ladderweld Access Platform - Temporary Work Platform

- Super strong 'fully welded' design fabricated from heavy duty aluminium
- Steel bracing under bottom tread and side bracing provides additional protection from impact damage
- Suited to 'high frequency' use, 170kg Industrial Rating
- 'Walk thru' design for stock picking and access to mezzanine floors, vehicle access and warehousing (no need to stock several products)
- Large 125mm wheels - improved portability and 'easy glide' action
- Large stable work platform (safe and stable) - 590mm x 800mm
- Manually operated braking system with HI VIS powder coated activation arm helps minimize unauthorised access
- Two safety gates fitted



YLAAP13592



STEPS	PLATFORM HEIGHT	REACH HEIGHT	ALUMINIUM CODE
3	0.83m	2.8m	YLAAP13591
4	1.10m	3.1m	YLAAP13592
5	1.38m	3.4m	YLAAP13593
6	1.66m	3.7m	YLAAP13594
7	1.93m	3.9m	YLAAP13595
8	2.21m	4.2m	YLAAP13596
10	2.76m	4.8m	YLAAP13597
12	3.31m	5.3m	YLAAP13598
14	3.87m	5.9m	YLAAP13599

BAILEY Ladderweld MODULAR ACCESS SYSTEM

Modular Access Systems

Introducing the brand new Modular Access System that will revolutionise safe access to heights when used in conjunction with the Bailey Access Platforms. The modular components allow you to design and build an access platform that is customised to your needs.

- Modular system allows for unlimited types of configurations
- Fully welded frames and platforms with integrated toe boards
- Hand rails can be easily removed/repositioned to allow clear access to the work space
- Lockable castors allow easy repositioning of the system
- 170kg load rating per bay - Industrial duty - safe to use on a work site
- Meets standard AS 1892



1m bridge configuration



2m bridge configuration



Combination variable height 1m & 2m bridge configuration

INDUSTRIAL LADDERWELD 170KG

CODE	DESCRIPTION	SIZE	REACH HEIGHT
YLAAS13789	Modular Access System 1.0m Platform	1.0m	N/A
YLAAS13790	Modular Access System 2.0m Platform	2.0m	N/A
YLAAS13791	Modular Access System 3 Step Upright	0.83m	2.8m
YLAAS13792	Modular Access System 4 Step Upright	1.10m	3.1m
YLAAS13793	Modular Access System 5 Step Upright	1.38m	3.4m
YLAAS13794	Modular Access System 6 Step Upright	1.65m	3.6m

BAILEY



Tilt N Go

- Compatible with Bailey's Access Platforms
- Quick and easy to fit
- Ideal for rough terrain
- Can be used with or without existing wheel system

CODE	DESCRIPTION	UOM
YLAAP13817	Tilt N Go Castor	Ea



BAILEY

P150 MKII Platform Stepladders



YLFP14070

YLAP14066

- Lightweight and highly portable
- Pro Punchlock® style multi-function top cap that provides tool storage and is easier to clean
- Cast alloy platform pivot bracket for increased strength and durability
- Large standing area (508 x 416mm)
- Anti-slip checker plate deck pattern
- 'Magnetised' section on handrail secures tools and fasteners
- Large anti-slip feet for stability
- 150kg Industrial duty rating
- Available in extra strong, heavy duty aluminium or fibreglass construction

STEPS	PLATFORM HEIGHT	ALUMINIUM CODE	FIBREGLASS CODE
3	0.9m	YLAP14066	YLFP14070
4	1.2m	YLAP14067	YLFP14071
5	1.5m	YLAP14068	YLFP14072
6	1.8m	YLAP14069	YLFP14073

BAILEY

P170 Job Station Platform Stepladders



YLFP13531

YLAP13539

- Huge platform area (610 x 457mm)
- Multi-function handrail with optional 'DropLok' accessories
- Available in extra strong, heavy duty aluminium or fibreglass
- 170kg Industrial Rating
- Large anti-slip feet
- Convenient carry handle
- Swivel castors for improved mobility

STEPS	PLATFORM HEIGHT	ALUMINIUM CODE	FIBREGLASS CODE
3	0.9m	YLAP13538	YLFP13530
4	1.2m	YLAP13539	YLFP13531
5	1.5m	YLAP13540	YLFP13532
6	1.8m	YLAP13541	YLFP13533
7	2.03m	YLAP13542	YLFP13534
8	2.32m	YLAP13543	YLFP13535
10	2.91m	YLAP13544	YLFP13536
12	3.49m	YLAP13545	YLFP13537
Safety Gate		YLZ13648	YLZ13648

BAILEY

Pro Punchlock® Platform Stepladders



YLFP13949

YLAP13935

- PUNCHLOCK® tread design increases the torsional rigidity of the overall ladder frame
- Wide, anti-slip platform (490 x 400mm)
- Multi-function handrail/accessories holder
- Available in aluminium and fibreglass construction
- Anti-slip rubber boots
- 170kg Industrial Rating

STEPS	PLATFORM HEIGHT	ALUMINIUM CODE	FIBREGLASS CODE
2	0.57m	YLAP13931	YLFP13945
3	0.85m	YLAP13932	YLFP13946
4	1.13m	YLAP13933	YLFP13947
5	1.42m	YLAP13934	YLFP13948
6	1.7m	YLAP13935	YLFP13949
7	1.99m	YLAP13936	YLFP13950
8	2.27m	YLAP13937	YLFP13951

BAILEY

Stairway Ladder with Safety Rail

- Slim profile for easy storage when not in use
- Wide and deep treads with anti-slip rubber insert for safety and stability
- Racked front frame for stair-like access
- 150kg Industrial Duty Rating
- Folding handrail



YLA13751

CODE	DESCRIPTION	TOP STEP HEIGHT
YLA13750	2 Step 150kg Ind.	0.45m
YLA13751	3 Step 150kg Ind.	0.67m
YLA13752	4 Step 150kg Ind.	0.89m
YLA13753	5 Step 150kg Ind.	1.11m

BAILEY

Order Picking Platform MK3

- Large stable work platform (600 x 500mm)
- HI VIS powder coated handrails
- Safety gate included
- 150kg load rating
- Light and strong aluminium construction with heavy duty treads and stiles
- Rear Tilt-N-Go castors
- Box section back legs provide greater strength and rigidity
- Spring loaded castors for ease of manoeuvrability
- Supplied flat packed with the tools required for assembly

CODE	DESCRIPTION	PLATFORM HEIGHT
YLA13874	3 Step 150kg Ind.	0.82m
YLA13875	4 Step 150kg Ind.	1.1m
YLA13876	5 Step 150kg Ind.	1.38m
YLA13877	6 Step 150kg Ind.	1.65m
YLA13878	7 Step 150kg Ind.	1.93m
YLA13879	8 Step 150kg Ind.	2.2m

YLA13876



All Bailey products are made to AS 1892.1


BRADY

ToughStripe® Floor Marking Tapes & Die-Cut Shapes

- Made with Brady's B-514 polyester - withstands forklift traffic without tearing or lifting
- Low profile design minimises tears and scratches from skids, pallet jacks, etc.
- Ideal for marking aisles, passageways and storage locations
- The tape has a service temperature range of -17°C to 53°C



CODE	DESCRIPTION	UOM
STF872429	Toughstripe® Floor Tape 51mm x 30m - Black	Roll
STF872433	Toughstripe® Floor Tape 51mm x 30m - Blue	Roll
STF872434	Toughstripe® Floor Tape 51mm x 30m - Green	Roll
STF872435	Toughstripe® Floor Tape 51mm x 30m - Orange	Roll
STF872432	Toughstripe® Floor Tape 51mm x 30m - Red	Roll
STF872430	Toughstripe® Floor Tape 51mm x 30m - White	Roll
STF872431	Toughstripe® Floor Tape 51mm x 30m - Yellow	Roll
STF872438	Toughstripe® Floor Tape 51mm x 30m - Black/White	Roll
STF872436	Toughstripe® Floor Tape 51mm x 30m - Black/Yellow	Roll
STF872437	Toughstripe® Floor Tape 51mm x 30m - Red/White	Roll




CODE	DESCRIPTION	UOM
STF873235	Toughstripe® Foot Prints (L/R) 254 x 89mm - Green	Pk/10
STF873234	Toughstripe® Foot Prints (L/R) 254 x 89mm - Red	Pk/10
STF873239	Toughstripe® Foot Prints (L/R) 254 x 89mm - White	Pk/10
STF873237	Toughstripe® Foot Prints (L/R) 254 x 89mm - Yellow	Pk/10
STF873228	Toughstripe® Dot Shapes 89mm - Red	Roll/350
STF873231	Toughstripe® Dot Shapes 89mm - Yellow	Roll/350
STF873247	Toughstripe® Arrow Shapes 76 x 203mm - Green	Pk/10
STF873246	Toughstripe® Arrow Shapes 76 x 203mm - Red	Pk/10
STF873249	Toughstripe® Arrow Shapes 76 x 203mm - Yellow	Pk/10

PRO CHOICE SAFETY GEAR

Self-Adhesive Tapes

- Heavy duty hazard tapes for floors and other surfaces
- HI VIS reflective options
- Slip resistant 'sand paper grip' option for wet areas




CODE	DESCRIPTION	UOM
STF3050HT:YB	Self Adhesive Tape Yellow/Black 30m x 50mm	Roll
STF5050R:BY	Self Adhesive Reflective Tape Yellow/Black 50m x 50mm	Roll
STF5050R:RW	Self Adhesive Reflective Tape Red/White 50m x 50mm	Roll
STF1850NS:BY	Self Adhesive Non-Slip Tape Yellow/Black 18m x 50mm	Roll

BRADY

Indoor Warning Tapes

- For identification of hazardous areas or work stations
- Can be used on floors, stairways, hazardous objects etc.
- Durable vinyl adhesive backed tape for industrial conditions
- Also available in a range of other sizes and in outdoor and reflective materials



CODE	DESCRIPTION	UOM
STF55297	Indoor Warning Tape 75mm x 16.4m - Red/White Stripe	Roll
STF55303	Indoor Warning Tape 75mm x 16.4m - Black/Yellow Stripe	Roll
STF76319	Indoor Warning Tape 75mm x 16.4m - Black/Yellow Check	Roll
STF76318	Indoor Warning Tape 75mm x 16.4m - Black/White Check	Roll
STF850653	Indoor Warning Tape 75mm x 16.4m - Green/White Stripe	Roll



Professional Marking Products

Line Marking Paint 500g

- Quick drying
- Ideal for car parks, factories, warehouses and sporting grounds
- Use with the Dy-Mark Line Master Line Marking Machine



Spray & Mark 350g

- Highly visible marks
- Ideal for use on concrete, bitumen, steel & timber
- Available in a large range of colours

CODE	DESCRIPTION	UOM
STP150	Line Marking Paint - Various Colours*	Ea
STP400635	Spray & Mark Paint - Various Colours*	Ea
STLM00203	Line Master 4-Wheel Line Marker	Ea



Stencils

- Reusable poly stencils, ideal for marking and warning of hazards



WIDE RANGE AVAILABLE




CODE	DESCRIPTION	UOM
STSP	Floor Stencil Poly 450 x 600mm	Ea
STSN	Floor Stencil Numbers 0-9 100mm	Set
STSL	Floor Stencil Letters A-Z 100mm	Ea

*Please note: Age restriction may apply to the sale/purchase of this product



Air Grid Non-Slip Anti-Fatigue Mat




- Extremely comfortable - provides relief from constant standing
- Leather grain pattern on surface eliminates trips and slips on mat
- Spilt liquids drain from mat surface along channels and out holes to keep mat surface continually dry
- Suction cups on underside assist in steady floor adhesion
- Yellow border option ensures mat stands out
- Grease proof - will not deteriorate in greasy conditions
- HACCP Certified

CODE	DESCRIPTION	UOM
YMATAG23:BK	Air Grid 600mm x 900mm - Black/Black Edge	Ea
YMATAG23:YB	Air Grid 600mm x 900mm - Black/Yellow Edge	Ea
YMATAG34:BK	Air Grid 900mm x 1200mm - Black/Black Edge	Ea
YMATAG34:YB	Air Grid 900mm x 1200mm - Black/Yellow Edge	Ea



Comfort Link Modular Safety Mat




- Rubber mat tiles, link together to form a desired shape or size
- Non slip surface
- Soft formula provides relief from constant standing
- Beveled edges and corners available in yellow
- Available in holed (wet areas), solid (dry areas), grease proof holed or grit top holed options
- Used in manufacturing and production areas, workbenches and workstations etc.

CODE	DESCRIPTION	UOM
YMATTE	Comfort Link General Purpose 900mm x 900mm - Black	Ea
YMATTEG	Comfort Link Grease Proof 900mm x 900mm - Terracotta	Ea
YMATTEE	Comfort Link Edging 900mm x 75mm - Yellow	Ea



Rubber Brush Scraper Outdoor Commercial Entrance Mat




- Heavy duty rubber mat for medium traffic entrances
- Studs on mat surface dislodge dirt and mud from the bottom of shoes
- Easy to clean: simply hose out
- Beveled edges for added safety
- Slip resistant backing keeps mat steady on the floor

CODE	DESCRIPTION	UOM
YMATRBB	Brush Scraper 610mm x 810mm - Black	Ea
YMATRBM	Brush Scraper 710mm x 1070mm - Black	Ea
YMATRBL	Brush Scraper 910mm x 1830mm - Black	Ea



Safety Cushion Dry/Wet Area Safety Mat




- Comfortable, anti-slip rubber mat for wet or dry areas
- Beveled edges for safety
- Soft formula provides relief from constant standing
- Honeycomb surface gives excellent traction
- Optional grease proof formula (terracotta colour)
- Used in bars, kitchens, at workbenches and workstations etc.

CODE	DESCRIPTION	UOM
YMATCLS	Safety Cushion General Purpose 600 x 900mm - Black	Ea
YMATCLG	Safety Cushion Grease Proof 600 x 900mm - Terracotta	Ea
YMATCLN	Safety Cushion General Purpose 900 x 1500mm - Black	Ea
YMATCLR	Safety Cushion Grease Proof 900 x 1500mm - Terracotta	Ea



Utility Matting Dry/Wet Area Safety Matting




- Versatile rubber matting on a roll
- Soft formula provides relief from constant standing
- Non-slip surface provides traction
- Easy to cut to length or width and shape
- Large drainage holes allow the escape of spilt liquids
- Used in bars, kitchens, showers and wash-up areas and also in the backs of utes and vans

CODE	DESCRIPTION	UOM
YMATUM900	Utility Matting 900mm Wide	Per Metre
YMATUM1800	Utility Matting 1800mm Wide	Per Metre



Ribbed Indoor Commercial Entrance Mat



- PVC backed polypropylene mat for medium traffic entrances
- Coarse, bi-level fibres scrape footwear clean
- Absorbent surface dries feet effectively
- Easy to clean: can be hosed, swept or vacuumed out
- Available in a range of colours

CODE	DESCRIPTION	UOM
YMATRM23	Ribbed Mat 600mm x 900mm	Ea
YMATRM35	Ribbed Mat 900mm x 1500mm	Ea
YMATRM46	Ribbed Mat 1200mm x 1800mm	Ea

EcoBlast

Rechargeable Signal Air Horn

- Ready to emit a powerful 120dB signal
- Aluminium alloy body
- Refill valve allows recharge using a MiniAir pump, bicycle air pump or air compressor
- Available with or without MiniAir pump



CODE	DESCRIPTION	UOM
MM101	EcoBlast Signal Air Horn	Ea
MM102	EcoBlast Alloy Signal Air Horn c/w MiniAir Pump	Ea



Acoustic Air Horn

- Hand held and operated air horn
- Environmentally friendly canister - does not contain any harmful gas
- Refills and plastic bracket also available



CODE	DESCRIPTION	UOM
MM001	Trem Horn & Canister	Ea
MM002	Trem Horn Canister Refill	Ea

EcoBlast

PRO Heavy Duty Air Horn

- Suitable for most industrial workplaces
- Impact resistance plastic - all-weather application
- Up to 150 blasts per charge
- Rechargeable via any source of compressed air - no need for replacement cartridges
- Included pressure gauge, carry handle and shoulder strap



CODE	DESCRIPTION	UOM
MM500	EcoBlast Pro Air Horn	Ea

EcoBlast

Megaphone With Siren and Whistle

- Handheld or shoulder-slung use (strap supplied)
- Audible up to 500-700m
- Detachable anti-howl microphone on coiled lead with on/off switch and volume control
- Works on 8 x C batteries (not included)



CODE	DESCRIPTION	UOM
MM180041	EcoBlast Emergency Evacuation Megaphone c/w Siren & Whistle	Ea



Portable Access Steps

- c/w Anti-slip Tape

Step-Up® Team Step

- 370mm x 370mm deck size
- 370mm deck height
- Rubber feet

Jumbo Team Step®

- 380mm dia. deck size
- 360mm deck height
- Springloaded castors

Monstar Step

- 370mm x 370mm deck size
- 375mm deck height



CODE	DESCRIPTION	CAPACITY	WEIGHT	COLOURS	UOM
YLPST200	Step-Up® Access Step	180kg	5.0kg	Yellow, Orange	Ea
YLPST300	Jumbo Team Step®	150kg	5.0kg	Yellow	Ea
YLPST400	Monstar Step	180kg	3.5kg	Yellow	Ea



Forklift Safety Cage

- Flat pack design for easy transport and storage
- Designed to carry two people or 250kgs
- Dimensions: 1.2m x 1.2m x 1.09m with 2.2m safety screen
- Meets AS 2359.1




CODE	DESCRIPTION	UOM
MFC	Forklift Safety Cage	Ea




FRP Anti-Slip Stair Nosing & Panels

- Fibreglass composite with integrated anti-slip grit
- Industrial grade: won't chip or delaminate
- Highly resistant to chemical attack
- Safety yellow final resin layer
- No steel to rust or corrode
- Available in a wide range of sizes



STAIR NOSING



STAIR NOSING



FLOOR PLATE

CODE	DESCRIPTION	UOM
YASN75076	FRP Stair Nosing 750mm x 76mm x 30mm	Ea
YASN90076	FRP Stair Nosing 900mm x 76mm x 30mm	Ea
YASN120076	FRP Stair Nosing 1200mm x 76mm x 30mm	Ea
YASP600200	FRP Floor Plate 600mm x 200mm	Ea
YASP900200	FRP Floor Plate 900mm x 200mm	Ea