

# Product Family Laser Trak Detectable Earplug

Laser Trak safety earplugs offer high visual and metal detectability in a Single-Use earplug. Laser Trak's low-pressure polyurethane foam expands gently inside the ear canal for comfortable long-term wear, while its contoured T-shape delivers easy handling. A metal grommet on the earplug aids in metal detection, especially in process industries.



# **Product Numbers & Ordering Information**

Product Numbers	Details
LT-30	Laser Trak - corded NRR 33
LT-5-30	Laser Trak - corded 5-pair vending pack NRR 33

# Overview

## **Key Features**

- Non-ferrous metal grommet and bright colors easily detected by visual and automated inspection
- Self-adjusting polyurethane foam expands to fit virtually any wearer
- Contoured T-shape for easy insertion and wear

## Recommended Industries/Use

• Food Services • Pharmaceutical

#### Hazards

Noise

## Regulations

- 29 CFR 1910.95 OSHA Occupational Noise Exposure (US)
- ANSI S3.19-1974 Attenuation Test Protocol (US)
- Part II, (R.S.C. 1985, c. L-2) Canada Labour Code
- Z94.2-1994 Attenuation Test Protocl (CAN)
- 2003/10/EC EU Hearing Directive

## Laser Trak Detectable Earplug

- 89/686/EEC EU Directive/PPE
- Category II EC Category/PPE
- EN-24869-1:1993 EU Standards
- EN 352-2:1993 EU Standards
- NOHSC: 1007 (2000) National Standard for Occupational Noise (AUS/NZ)
- NR 15 Security and Health of Work, Annexes 1 and 2, n°3.214/1978 Occupational Noise Regulations (BR)
- ANSI S12.6/1997 Method B Attenuation Test Protocol (BR)
- 9001:2008 ISO

#### **Historical Brand**

Howard Leight

# **Specifications**

#### Color

• Orange/Blue

## Shape

• T-Shape

#### Material

• Polyurethane Foam/Brass

#### **Packaging**

Polybag

#### Cord

Polycord

#### **NRR**

• 33

## Canada Class

A(L)

#### **SNR**

• 35

## SLC80

• 25 dB / Class 4

# **Certifications**

#### **CE Certificate - Laser Trak**

 $http://www.honeywellsafety.com/Supplementary/Documents\_and\_Downloads/Secured/Hearing\_Protection/Earplugs/20036/1033.aspx$ 

CE Certificate - Laser Trak

# Instruction Manual - Laser Trak (global)

 $http://www.honeywellsafety.com/Supplementary/Documents\_and\_Downloads/Secured/Hearing\_Protection/Earplugs/41909/1033.aspx$ 

Click on the link above to download the user instruction manual for Laser Trak detectable earplugs.

## **EC Certificate - Earplugs**

http://www.honeywellsafety.com/Supplementary/Documents\_and\_Downloads/Secured/Hearing\_Protection/Earplugs/42685/1033.aspx

EC Declaration of conformity The manufacturer SPERIAN HEARING PROTECTION, LLC, 7828 Waterville Rd. San Diego, CA 92154 United States declares that the Personal Protective Equipment (PPE) items listed below, conform with the provisions of Council Directive 89/686/EEC and, where applicable, with the national standard, tr

#### Literature & Documents

DOC2655 HEAR AFF Earplug Fit 508x800 GBd

http://www.honeywellsafety.com/Supplementary/Documents\_and\_Downloads/4294996679/1033.aspx

1 1 1 2 2 2 3 3 3 No-Roll Foam Roll-Down Foam Multiple-Use Banded Matrix™ Max SmartFit QB2HYG 213 Keys to Successful Hearing Protection with Earplugs Reach over your head with a free hand, pull your ear up and back, and insert the earplug well inside your ear canal. While holding the stem, reach a hand over your head a

**Earplug Instruction Poster - ES** 

http://www.honeywellsafety.com/Supplementary/Documents\_and\_Downloads/Hearing\_Protection/Earplugs/19802/1033.aspx

**Earplug Instruction Poster - FR** 

http://www.honeywellsafety.com/Supplementary/Documents\_and\_Downloads/Hearing\_Protection/Earplugs/19800/1033.aspx

## Training & Proper Use

- 1. With clean hands, roll the entire earplug into narrowest possible crease-free cylinder.
- 2. Reach over your head with a free hand, pull your ear up and back, and insert the earplug well inside your ear canal.
- 3. Hold for 30 40 seconds, until the earplug fully expands in your ear canal. If properly fitted, the end of the earplugs should not be visible to someone looking at you from the front.
- 4. Proper Fit If either or both earplugs do not seem to be fitted properly, remove the earplug and reinsert.
- 5. Removal Gently twist earplug while slowly pulling in an outward motion for removal.
- Acoustical Check In a noisy environment, with earplugs inserted, cup your hands over your ears and release.
   Earplugs should block enough noise so that covering your ears with your hands should not result in a significant noise difference.

## **Additional Information**

#### CARE + MAINTENANCE

- INSPECT Inspect prior to fitting, examine your earplugs for dirt, damage or extreme hardness—discard immediately if compromised.
- DISCARD For proper hygiene, discard Single-Use earplugs after use.
- HYGIENE To maintain hygiene standards, Single-Use earplugs should be discarded at the end of every shift.

#### RELATED PRODUCTS

© Honeywell International Inc.

Available from

SAFE YUUL.
The safety professionals!