

# PB 49-432Z

## WOMEN'S WHEAT ZIP SIDED BOOT



by Honeywell

## STYLE SPECIFICATIONS



### DESCRIPTION:

Water resistant nubuck leather steel toe safety boot

**Colour:** Wheat

**Sizes:** 35 - 42

### Standards:

AS/NZS 2210.3:2019

EN ISO 20345:2011 ASTM F2413-18

**REPLACEMENT LACE CODE: L-PW130**

**Application:** Agriculture / Building & Construction / Manufacturing / Mining & Quarrying / Transport & Storage / Warehousing

### FEATURES:

- Water resistant nubuck leather.
- COOLstep® lining to absorb moisture and odour for optimum freshness and hygiene. HEELguard for added stability and impact protection.
- COMFORTcushion® Impact Absorption System with PORON1 protects the heel and ball of the foot.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- Specifically designed last to support the unique shape of a female foot.
- Convenient side zipper for easy donning & doffing.
- Oliver SOFTstride® open cell low density urethane foam built in to the insole for ultimate comfort and contour support.
- Excellent slip resistant sole; SRC slip resistant classification. Anti-static.
- PB's dual density PU/Rubber sole with lightweight shock absorbing PU midsole & hardwearing rubber outsole for superior durability. Resistant to 300° C surface contact.
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant.

## COMFORT TECHNOLOGY



**COMFORTcushion**  
Impact Absorption



**NATUREform**  
wide profile Type 1 safety toe cap



**Water Resistant**  
Leather



**Steel Safety**  
Toe Cap



**SOFTstride**  
Contour Comfort Support



**Antimicrobial**  
Technology



**HEELguard**



**Quick Release**  
Side Zipper

## SOLING TECHNOLOGY



**300°C**  
Heat Resistant  
sole (572° F)



**Abrasion**  
Resistant sole



**Cut Resistant**  
sole



**Slip Resistant**  
sole



**Sole resistant to**  
mineral oils  
and acids



**Sole resistant to**  
organic oils  
and fats



**Antistatic**  
discharges static  
build-up

OLIVER FOOTWEAR

Available from



**Honeywell**