

# AT 55-345Z

## 150MM BLACK ZIP SIDED BOOT



by Honeywell

## STYLE SPECIFICATIONS



### DESCRIPTION:

All terrain water resistant full grain leather steel toe safety boot

**Colour:** Black

**Sizes:** 4 - 14, 6½ - 12½

**Standards:**  
AS/NZS 2210.3:2019

EN ISO 20345:2011 ASTM F2413-18

**REPLACEMENT LACE CODE: L-GB155**

**Application:** Agriculture / Building & Construction / Public Administration / Food Processing / Manufacturing / Hospitality / Metals Industry / Mining & Quarrying / Oil & Gas / Transport & Storage / Security / Warehousing

### FEATURES:

- Water resistant full grain leather.
- TECtuff® toe bumper to protect against scuffing.
- COOLstep® lining to absorb moisture and odour for optimum freshness and hygiene.
- HEELguard for added stability and impact protection.
- Heavy duty Kevlar® stitching across all critical wear seams.
- COMFORTcushion® Impact Absorption System with PORON1 protects the heel and ball of the foot.
- NATUREform® steel toe cap with a wide profile for greater comfort.
- NANOLite® footbed with a gently raised surface to help reduce fatigue.
- Oliver SOFTstride® open cell low density urethane foam built in to the insole for ultimate comfort and contour support.
- Convenient quick release side zipper.
- Excellent slip resistant sole; SRC slip resistant classification. Anti-static.
- AT's dual density PU/Rubber sole with lightweight shock absorbing PU midsole & hardwearing rubber outsole for superior durability. Resistant to 300° C surface contact.
- Deep tread profile, with a self-cleaning design delivers superior traction in the roughest of terrain.
- Sole resistant to mineral & organic oils & acids. Cut, split and crack resistant.

### COMFORT TECHNOLOGY



**COMFORTcushion**  
Impact Absorption



**NATUREform**  
wide profile Type 1 safety toe cap



**Water Resistant**  
Leather



**Steel Safety**  
Toe Cap



**Quick Release**  
Side Zipper



**NANOLite**  
footbed



**SOFTstride**  
Contour Comfort Support



**Antimicrobial**  
Technology



**HEELguard**

### SOLING TECHNOLOGY



**300°C**  
Heat Resistant sole (572° F)



**Abrasion**  
Resistant sole



**Cut Resistant**  
sole



**Slip Resistant**  
sole



**Sole resistant to**  
mineral oils and acids



**Sole resistant to**  
organic oils and fats



**Antistatic**  
discharges static build-up

OLIVER FOOTWEAR

Available from



Honeywell