Round Bollards Economy Steel



Light duty bollards with value and quality in mind

Our Builders Range bollards are available in either surface mount or below ground models in 63mm, 90mm, 114mm or 140mm diameters. They are designed for lighter duty applications such as zoning off areas or pedestrian management.

The surface mount models come with fully welded base plates **and fixings** while the below ground models have welded starter bars for setting into concrete footings.

All models are hot dip galvanised after manufacturing and come with a removable black plastic cap. The standard powder coating colour is safety yellow but other colours are available on request.

Optional chain rings are available for connecting chains or ropes. Chain ringkits are sold as pairs and can also be purchased separately for retro fitting to existing bollards by drilling and tapping M10 threads as required.





Product Features:









- Economical alternative when heavy duty models are not necessary.
- Removable plastic moulded caps.
- Standard Class 1 Red reflective band.
- Fully welded heavy steel base plated models.
- Welded anchoring bars for fixing into concrete footing.
- · Surface mount models supplied with fixings.
- Galvanised and powder coated or galvanised only.
- Optional chain ring kits are available for connecting chains or ropes to our bollards.

| Code | Image | Product Name |
|-----------|-------|---|
| C114BGE-G | | Bollard 114mm Below Ground Economy - Galvanised |
| C114BGE | | Bollard 114mm Below Ground Economy - Galvanised and Powder Coated |

| Code | Image | Product Name |
|-------------|-------|--|
| C114SME-G | | Bollard 114mm Surface Mounted Economy - Galvanised |
| C114SME | | Bollard 114mm Surface Mounted Economy - Galvanised and Powder Coated |
| C140BGE-G | | Bollard 140mm Below Ground Economy - Galvanised |
| C140BGE | | Bollard 140mm Below Ground Economy - Galvanised and Powder Coated |
| C140SME-G | | Bollard 140mm Surface Mounted Economy - Galvanised |
| C140SME | | Bollard 140mm Surface Mounted Economy - Galvanised and Powder Coated |
| C63BGE-G | | Bollard 63mm Below Ground Economy - Galvanised |
| C63BGE | | Bollard 63mm Below Ground Economy - Galvanised and Powder Coated |
| C63SME-G | | Bollard 63mm Surface Mounted Economy - Galvanised |
| C63SME | | Bollard 63mm Surface Mounted Economy - Galvanised and Powder Coated |
| C90BGE-G | | Bollard 90mm Below Ground Economy - Galvanised |
| C90BGE | | Bollard 90mm Below Ground Economy - Galvanised and Powder Coated |
| C90SME-G | | Bollard 90mm Surface Mounted Economy - Galvanised |
| C90SME | | Bollard 90mm Surface Mounted Economy - Galvanised and Powder Coated |
| Accessories | | |

Accessories

| Code | Image | Product Name |
|-------|-------|------------------------|
| HDGC6 | SSS | Chain 6mm - Galvanised |

| Code | Image | Product Name | | | | |
|---------|-------|--|--|--|--|--|
| HDGC6-Y | oppo | Chain 6mm - Galvanised and Powder Coated Safety Yellow | | | | |
| RKIT-SS | 9 | Chain Ring Kit - 316 Stainless Steel | | | | |
| RKIT-G | 9 | Chain Ring Kit - Galvanised | | | | |
| RKIT-63 | 9 | Chain Ring Kit to suit 63mm Bollards - Zinc Plated | | | | |

| Part No. | Bollard Diameter | Height above ground | Depth below ground | Wall thickness | Base plate diameter | Base plate thickness | Kgs | Finish |
|-----------|---------------------|---------------------------|--------------------------|-------------------|------------------------|-------------------------|------|--------|
| C63SME-G | 63 | 1000 | _ | 1.6 | 150 | 6 | 3.7 | HDG |
| C63BGE-G | 63 | 1000 | 200 | 1.6 | _ | _ | 3.7 | HDG |
| C63SME | 63 | 1000 | _ | 1.6 | 150 | 6 | 3.7 | HDG+PC |
| C63BGE | 63 | 1000 | 200 | 1.6 | _ | _ | 3.7 | HDG+PC |
| C90SME-G | 90 | 1000 | _ | 3.2 | 200 | 6 | 8.2 | HDG |
| C90BGE-G | 90 | 1000 | 300 | 3.2 | - | - | 8.8 | HDG |
| C90SME | 90 | 1000 | _ | 3.2 | 200 | 6 | 8.2 | HDG+PC |
| C90BGE | 90 | 1000 | 300 | 3.2 | - | _ | 8.8 | HDG+PC |
| C114SME-G | 114 | 1000 | - | 3 | 250 | 6 | 11 | HDG |
| C114BGE-G | 114 | 1000 | 300 | 3 | _ | _ | 12.8 | HDG |
| C114SME | 114 | 1000 | - | 3 | 250 | 6 | 11 | HDG+PC |
| C114BGE | 114 | 1000 | 300 | 3 | - | - | 12.8 | HDG+PC |
| C140SME-G | 140 | 1200 | - | 3.5 | 250 | 8 | 18.4 | HDG |
| C140BGE-G | 140 | 1200 | 300 | 3.5 | _ | _ | 18.7 | HDG |
| C140SME | 140 | 1200 | - | 3.5 | 250 | 8 | 18.4 | HDG+PC |
| C140BGE | 140 | 1200 | 300 | 3.5 | - | _ | 18.7 | HDG+PC |

Note: All dimensions in mm. Finish: Hot Dip Galvanised (HDG) only/and Powder Coated (PC).