




W-Beam Rails



Our W-Beam Guardrail is designed for asset protection, and the protection of pedestrians from slow moving vehicles in and around industrial and commercial complexes and car parks. Rails come in straight and curved styles which are available in a range of lengths and two standard finishes – hot dip galvanised only or hot dip galvanised with powder coated Yellow.






























Product Features:

- Designed for asset protection, and the protection of pedestrians from slow moving vehicles in and around industrial and commercial complexes and car parks.
- With a choice of rail lengths, post options and accessories W-Beam Guard Fence can be easily configured for most non-highway applications.
- Hot dip galvanised for maximum long term protection.
- Guard rails interchangeable with competitors W-Beam systems.

[Part Numbers](#) [Technical Specifications](#) [Case Studies](#) [Just Ask](#)










Straight Rails

Code	Image	Product Name	
WBRB		W-Beam Rail End Boot - Yellow LLDPE	
WBR500-2G		W-Beam Rail for .5m Centres - Galvanised	
WBR500-2Y		W-Beam Rail for .5m Centres - Galvanised and Powder Coated Yellow	
WBR1500-2G		W-Beam Rail for 1.5m Centres - Galvanised	

Code	Image	Product Name	
WBR1500-2Y		W-Beam Rail for 1.5m Centres - Galvanised and Powder Coated Yellow	
WBR1000-2G		W-Beam Rail for 1m Centres - Galvanised	
WBR1000-2Y		W-Beam Rail for 1m Centres - Galvanised and Powder Coated Yellow	
WBR2500-2G		W-Beam Rail for 2.5m Centres - Galvanised	
WBR2500-2Y		W-Beam Rail for 2.5m Centres - Galvanised and Powder Coated Yellow	
WBR2000-2G		W-Beam Rail for 2m Centres - Galvanised	
WBR2000-2Y		W-Beam Rail for 2m Centres - Galvanised and Powder Coated Yellow	
WBR3500-3G		W-Beam Rail for 3.5m Centres - Galvanised	
WBR3500-3Y		W-Beam Rail for 3.5m Centres - Galvanised and Powder Coated Yellow	
WBR3000-3G		W-Beam Rail for 3m Centres - Galvanised	
WBR3000-3Y		W-Beam Rail for 3m Centres - Galvanised and Powder Coated Yellow	
WBR4000-3G		W-Beam Rail for 4m Centres - Galvanised	
WBR4000-3Y		W-Beam Rail for 4m Centres - Galvanised and Powder Coated Yellow	
KIT10		W-Beam Splice Fixings - 8 x M16 x 32 Galvanised Nut and Bolt	
KIT10-Y		W-Beam Splice Fixings - 8 x M16 x 32 Galvanised Nut and Bolt - Yellow	

Curved Rails

Code	Image	Product Name
------	-------	--------------

Code	Image	Product Name	
WBR45EX550-G		W-Beam Rail 45 Degree External Curve Radius 550cm - Galvanised	
WBR45IN550-G		W-Beam Rail 45 Degree Internal Curve Radius 550cm - Galvanised	
WBR90EX275-G		W-Beam Rail 90 Degree External Curve Radius 275cm - Galvanised	
WBR90EX75-G		W-Beam Rail 90 Degree External Curve Radius 75cm - Galvanised	
WBR90EX75-Y		W-Beam Rail 90 Degree External Curve Radius 75cm - Galvanised and Powder Coated Yellow	
WBR90IN275-G		W-Beam Rail 90 Degree Internal Curve Radius 275cm - Galvanised	