

RUSH+

PANORAMIC AND SPORTY

RUSH+ is one of the most popular products in the range, featuring an ultra-sporty design with highly flexible, co-injected and customisable temples!

 PLATINUM®



Alternative colour temples are available on MOQs.



Accessories:
1662320 • Gasket kit with strap



27g



1662301 • Clear Lens



1662302 • Smoke Lens



1662306 • ESP Lens




1662310 • Twilight Lens



1662318 • Contrast Lens



RUSHPCSP • CSP Lens

- + BUILT IN UPPER BROW PROTECTION
- +  PLATINUM COATING (P)
- + CO-INJECTED, ULTRA-FLEX TWO COLOUR TEMPLES
- + ADJUSTABLE, NON-SLIP BRIDGE
- + ULTRA LIGHTWEIGHT

bollé
SAFETY

RUSH+

PANORAMIC AND SPORTY

MODEL	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
RUSH+	Clear	1662301	IO &	AS/NZS 1337.1.2010	Anti-scratch/Anti-fog/Platinum
	Smoke	1662302	I3 &	AS/NZS 1337.1.2010	Anti-scratch/Anti-fog/Platinum
	ESP	1662306	I1	AS/NZS 1337.1.2010	Anti-scratch/Anti-fog
	Twilight	1662310	I2 &	AS/NZS 1337.1.2010	Anti-scratch/Anti-fog/Platinum
	Contrast	1662318	I1	AS/NZS 1337.1.2010	Anti-scratch/Anti-fog
	CSP	RUSHPCSP	I1 &	AS/NZS 1337.1.2010	Anti-scratch/Anti-fog/Platinum
	Gasket kit with strap	1662320	-	AS/NZS 1337.1.2010	-

LENS MARKING

- Platinum is a permanent coating applied on both sides of the lens that gives a high resistance to scratching (1.4 cd / m²) and to the most aggressive chemicals and delays the onset of fogging for two minutes, as per the testing requirements of EN166.
- I**. The letter 'I' signifies 'Medium Impact' approval.
- O**. The letter 'O' signifies that the product has been approved for the use both outdoors and indoors, and the terminology used by Australian standards is 'outdoor un-tinted'. This marking appears on all clear, amber and contrast lenses.

Ocular lens category:

- O**. Range of luminous transmittance 80-100% (Clear).
- 1**. Range of luminous transmittance 43 -88% (Contrast, ESP, CSP).
- 2**. Range of luminous transmittance 18-43% (Twilight)
- 3**. Range of luminous transmittance 8 -18% (Smoke).

TECHNOLOGIES

PLATINUM

The new exclusive scratch and fog resistant PLATINUM® coating guarantees even more safety, reliability and comfort. Washable (water and soap), this permanent coating applied on both sides of the lens makes it highly scratch resistant and effectively delays the appearance of fogging.

TWILIGHT

The new B-Twilight technology offers the advantages of ESP with a double anti-fog coating (on both sides of the lenses) to prevent fogging in the most challenging conditions. Designed and used in low light conditions, it improves contrast. Its light transmission rate is perfect for outdoors, particularly early morning and late evening. B-Twilight filters 76% of blue light.

ESP Extra Sensory Perception

ESP combines the advantages of clear and tinted lenses in a single model. It reduces glare when passing from a shaded zone to a bright zone and efficiently filters blue light. Offers blue light filtration (57%) / visible light transmission (64%). Is perfect for indoor/outdoor work.

CONTRAST

Ideal for activity at a static workstation using neons, halogens or other sources of blue light that can affect the eyes. It reduces eye fatigue, providing optimum working comfort and improving contrast and relief. Filters over 30% of blue light.

CSP

This innovative coating is an effective solution for all activities that alternate exposure to bright light and low light, while also being suitable for extreme hot and cold temperature environments. CSP is also combined with the exclusive PLATINUM® coating that effectively combats fogging.

LENSES

- 2mm polycarbonate
- Platinum anti-fog/anti-scratch coating on both sides of lens: Clear, Smoke and Twilight
- Anti-fog inside coating on Contrast and ESP lenses
- 99.9% UV 385 – Clear
- 99.9% UV 400 – Smoke, Contrast, ESP, Twilight and CSP

FRAME MARKING

AS/NZS 1337.1.2010 : Tested and approved to AS/NZS 1337.1.2010 for medium impact protection. Resists a 6mm at 45 m/s.

CLEANING AND STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.

CHARACTERISTICS	
LENSES	PC – 2,2 mm – Curve 9
FRAME	-
TEMPLES	PC + TPR
STRAP	Nylon/15mm/Adjustable
FOAM	SBR
SPARE LENSES	No

08/04/2019

Available from



bolle
SAFETY